



## COMMERCIAL SWIMMING POOL SUPPLIES





## TABLE OF CONTENTS

### Welcome to Lincoln!

For over 65 years, Lincoln Aquatics has been a supplier to the Commercial Swimming Pool Industry. We have created an offering of our products specifically for the Hotel, Motel, Resort, and Multi-Family communities. The products we offer have been selected for their quality, durability and value to meet our customer's complete swimming pool operation needs.

Lincoln Aquatics, through our network of over 350 company-owned branches, can service your needs nationwide. You can view our extensive product line at [www.LincolnAquatics.com](http://www.LincolnAquatics.com) or contact an aquatics specialist at our Commercial Call Center at (800) 620-SWIM (7946).

We look forward to serving you!

Sincerely,

Charles R. Luecker  
Director of Commercial

**CALL TOLL FREE**


**(800) 620-SWIM (7946)**

**Email: [cs@LincolnAquatics.com](mailto:cs@LincolnAquatics.com)**

**[www.LincolnAquatics.com](http://www.LincolnAquatics.com)**

CHEMICALS .....	1-5
TEST KITS .....	6-7
CHEMICAL FEED/SANITIZATION SYSTEMS .....	8-13
Water Chemistry Controllers .....	8-9
Chlorinators, Chemical Feed Pumps, & Tanks .....	10-11
Chlorine Generators .....	12
UV & AOP Disinfection Systems .....	13
MECHANICAL EQUIPMENT .....	14-23
Pumps & Flow Control .....	14-16
Underwater Lights .....	17
Valves & Plumbing Fittings .....	18
VGB Drains .....	19
Filters & Accessories .....	20-21
Heaters .....	22-23
CLEANING EQUIPMENT .....	24-28
Automatic Vacuums .....	24
Vacuums .....	25
Cleaning Supplies .....	26-27
MAINTENANCE SUPPLIES .....	28
PAINT, COATINGS & COMPOUNDS .....	29
SAFETY, RESCUE, & LIFEGUARD .....	30-34
Safety .....	30-31
Signs .....	32
Lifeguard .....	33
DECK EQUIPMENT .....	34-36
Guard Chairs .....	34
Ladders & Rails .....	35
Diving Boards & Slides .....	36
SWIM TRAINING & GAMES .....	37
ADA POOL LIFTS, LADDERS, & STAIRS .....	38-41
ADA Swimming Pool Lifts .....	38-40
ADA Ladders & Stairs .....	41
FURNITURE, UMBRELLAS, & LOCKER ROOM .....	42-47
Outdoor Furniture .....	42-45
Umbrellas .....	46-47
Locker Room .....	47
POOL COVERS & STORAGE REELS .....	48-49
TERMS & CONDITIONS .....	49

Photos compliments of The Westin Maui Resort & Spa, Ka'anapali





### SANITIZERS

**SODIUM HYPOCHLORITE** — Liquid pool bleach, 12.5% strength. pH 13.0. Plus deposit and drum cleaning charges.

4x1 gallon case  
**HAS-50-136**

4x1 gallon case - No deposit  
**HAS-50-116**

5 gallon carboy  
**HAS-50-215**

15 gallon carboy  
**HAS-50-7015**

30 gallon carboy  
**HAS-50-7030**

53 gallon drum  
**HAS-50-7053**

330 gallon tote  
**HAS-50-330**

Bulk Delivery - Sodium Hypochlorite  
**LNC-50-1010**



**SHOCKWAVE GRANULAR** — Calcium hypochlorite. 68% Available Chlorine.  
**AWC-50-5415** 50 lb. granular, pail  
**AWC-50-5420** 100 lb. granular, pail



**CCH CALCIUM HYPOCHLORITE TABLETS**  
 68% Available Chlorine.

Item	Description	Size
<b>AWC-50-3220</b>	CCH A300 Tab, 50 lb.	2 5/8" dia.
<b>AWC-50-3215</b>	CCH Elite Tab, 45 lb.	1" dia.
<b>AWC-50-3227</b>	CCH Endurance Tab, 25 lb. Class 2 Oxidizer	2 5/8" dia.
<b>AWC-50-1500</b>	CCH Tab, 50 lb.	3" dia.

**VERSACHLOR CUBE TABLETS** — Calcium Hypochlorite tablets for use with VersaChlor Feeders.  
**PPG-50-0375** 37.5 lb. pail



**S.D.I.C.** — Sodium Dichloro-iso-cyanurate. 99% active ingredients, 56% available chlorine, with conditioner. pH 11.0. Granular, completely soluble in water.  
**EZC-50-2525** 25 lb. pail  
**EZC-50-2550** 50 lb. pail



**TRICHLOR** — Trichloro-s-triozinetrione. 95% active ingredients, 90% available chlorine with conditioner, pH 2.8.  
**EZC-50-1525** 25 lb. 1" tablets, pail  
**EZC-50-3524** 25 lb. 3" tablets, pail  
**EZC-50-3550** 50 lb. 3" tablets, pail



**BROMINE** — Poolstyle Bromine tablets for use in pools or spas. Sanitizer stays effective even when in combined state. 100% active ingredients. 64.9% Available Bromine, 29% Available Chlorine, pH 7.4.  
**PSL-50-6025** 25 lb. pail, 1" tablets  
**PSL-50-6050** 50 lb. pail, 1" tablets



**CHLORINE GENERATOR SALT** — High quality salt for use in Chlorine Generators. 40 lb. bags.  
**AAA-50-3398**



**pH CONTROL SODA ASH** — 100% Sodium Carbonate. Raises pH, granular, light. 50 lb. bags.  
**AAA-50-8603**

**NOTE:** Chemicals may not be available in all areas and are subject to local branch inventory availability.

**TOLL FREE (800) 620-SWIM (7946)**

# Chemicals



**MURIATIC ACID** — 31.5% strength Hydrochloric Acid. Lowers pH and Alkalinity. Can also be used for cleaning surfaces, etching pools prior to painting, and etching concrete decks. Plus deposit and drum cleaning charges.

4x1 gallon case  
**HAS-50-135**

4x1 gallon case - No deposit  
**HAS-50-105**

5 gallon carboy  
**HAS-50-213**

15 gallon carboy  
**HAS-50-101**

30 gallon carboy  
**HAS-50-204**

53 gallon drum  
**HAS-50-143**

Bulk Delivery - Muriatic Acid  
**LNC-50-1350**



**SODIUM BICARBONATE** — 50 lb. bags  
**AAA-50-8604**



**SODIUM BISULFATE** — Dry acid. Lowers pH and reduces total water alkalinity. 2½ lbs. low-ers alkalinity 10 ppm per 10,000 gal. of water.  
**AAA-50-8617** 50 lb. bag



**FILTER AIDS**  
**DIATOMACEOUS EARTH**  
**AAA-06-203** 50 lb. bags  
**AAA-06-202** 25 lb. bags

**FIBER CLEAR FILTER MEDIA** — Cellulose fiber filter media. 1 lb. replaces 8 lbs. of D.E. Non-toxic, biodegradable, and safe. Filters finer particles and is more efficient than diatomaceous earth in D.E. filters. 25 lb. bags.  
**SWM-06-1001**

**FILTER SAND** — #20 Silica Sand. 50 lb. bags.  
**AAA-06-200**

**PEA GRAVEL** — ⅛" to ¼" water rounded. 50 lb. bags.  
**AAA-06-233**



**ZEOBRITE™ FILTER MEDIA** — Naturally formed Zeolite mineral improves sand filter performance and provides superior water clarity. Lowers total operating costs by reducing backwashing up to 50%. Filters particles down to 3 microns. Absorbs ammonia ions which reduces chloramine formation. Reduces costly pool chemicals required to meet your pool's demand by 30-40%. Contains thousands of micropores which hold 300-400% more dirt than sand. Effective size: .45 mm. 50 lb. bags.  
**ZEO-06-100**



**VITROCLEAN FILTER MEDIA** — Recycled glass filter media is a direct replacement for silica sand. Removes finer particles than sand and improves water clarity. Uses 25% less water to backwash. No hazardous dust or sharp edges, completely safe to handle. Effective size: .40 mm. 80 lbs. = 1 cu. ft. 50 lb. bags.  
**TVC-06-1000**



**ACID MAGIC** — Full strength muriatic-based product is formulated to ship, use, and store easier than standard Muriatic Acid. Acid Magic safely adjusts pool and spa water chemistry with 90% less fuming. Also used to acid wash surfaces. This blend of proprietary ingredients offers the cleaning and pH reduction of powerful acids while providing increased usability and safety.  
**NSF Certified to ANSI/NSF Standard 50.**

**UCS-50-1000** 1 Gallon  
**UCS-50-1005** 5 Gallon  
**UCS-50-1001** 15 Gallon

**NOTE: Chemicals may not be available in all areas and are subject to local branch inventory availability.**



## SPECIALTY CHEMICALS

**CYANURIC ACID** — Chlorine stabilizer or conditioner. Reduces chlorine loss due to sunlight. Effective with all types of chlorine. Initial dosage 2 lbs. per 10,000 gal. of water. Granular.

- AAA-50-8642** 50 lb. pail
- AAA-50-8646** 100 lb. drum



**SODIUM THIOSULFATE** — Reduces high concentrations of Chlorine or Bromine. Reduces shut down time when levels are dangerously high. 1 oz. will neutralize 1 ppm of Chlorine/ Bromine per 10,000 gallons.

- PSL-50-1650** 2 lb. bottle
- AAA-50-8687** 55 lb. bag



**DRY ALGAECIDE** — Concentrated algaecide with super killing power on black and green algae. Active ingredients: Trichloro-s-Triazinetrione (90% available chlorine). Turn off pump and sprinkle directly on algae. Use 1 lb. per 10,000 gals. of pool water. Granular, pH 2.8.

- EZC-50-1050** 50 lb. pail



**CALCIUM CHLORIDE** — Raises calcium hardness. 1 lb. raises 10 ppm per 10,000 gal. Correct range 200-275 ppm. 50 lb. bags

- AAA-50-8601**



**OXY-BRITE** — Non-chlorine shock treatment eliminates eye burn and chlorine odor. Granular oxidizing agent "Burns out" organic material. Dissipates as oxygen. Contains no chlorine or calcium. Ideal for indoor pools that can't reach breakpoint chlorination and for facilities with pool covers where chlorine cannot exceed 1.5 ppm. Initial and weekly dosage: 1 lb. per 10,000 gallons.

- GLB-50-8642** 20 lb. bottle
- GLB-50-8651** 50 lb. drum
- GLB-50-8661** 100 lb. drum



## PHOSPHATE REMOVER CONCENTRATE

Highly concentrated solution formulated to react with phosphates. Helps prevent interference with chlorine sanitizing and disinfection. **NSF Listed.**

- ORE-50-226** 1 quart
- ORE-50-227** 1 gallon
- ORE-50-228** 5 gallon



**SCALE & METAL CONTROL** — Award winning, phosphate free, and environmentally friendly. Controls metal staining and carbonate scale. Great for use on pool start-up and to prevent scale and stains on a maintenance basis. 6oz. per 10,000 gallons, twice monthly.

**NSF Listed.**

- ORE-50-102** 1 quart
- ORE-50-104** 1 gallon
- ORE-50-119** 5 gallon



**ENZYME WATER CLEANER** — 100% natural formula reduces organics to create optimal water clarity. Unique, stabilized liquid enzyme system that effectively digests non-living organic contaminants commonly found in swimming pools and spas. **NSF Listed.**

- ORE-50-133** 1 quart
- ORE-50-134** 1 gallon
- ORE-50-135** 5 gallon

**FOAM OUT** — A food grade anti-foam agent. Effectively cuts down foam and prevents foam buildup. Dosage: ½ teaspoon per treatment maximum. Wait 10-15 min. before repeating.

- BDL-50-201** 1 quart
- BDL-50-191** 1 gallon



## SEAKLEAR NATURAL CLARIFIER

Clarifies cloudy water and removes excess oils and lotions. Will improve filter efficiency. Can be used with any sanitizer. Dosage: 1 oz. per 6,000 gallons.

- VAN-50-891** 1 quart
- VAN-50-884** 1 gallon

**NOTE: Chemicals may not be available in all areas and are subject to local branch inventory availability.**

# Chemicals



**PRO SERIES PHOS PREVENT** — Reduces high phosphate levels with limited turbidity and can be used weekly to keep levels near zero. 1 oz. per 6,000 gallons weekly.

- NAT-50-3007** 1 quart
- NAT-50-3008** 1 gallon
- NAT-50-3006** 5 gallon
- NAT-50-1043** 55 gallon



**PRO SERIES PRO BLEND** — Continually removes phosphates using SMARTZyme™ technology. Breaks down filter-clogging grime and reduces overall pool maintenance. Add 1 oz. in the skimmer each week per 2,000 gallons. Reduces overall pool maintenance.

- NAT-50-0520** 1 gallon
- NAT-50-0523** 5 gallon



## SEQUESTERING AGENTS

### PRO SERIES STAIN AND SCALE CONTROL

Protects Pool finishes, equipment, and salt generator cells from staining and damage caused by scale buildup without adding phosphates like most other stain and scale products. Initially, add 32 oz. per 10,000 gallons around pool edges. Add second dose after 24 hrs if necessary. Add 5 oz. per 10,000 gallons each month to prevent scale, and 4 oz. per 10,000 gallons each week to reduce metal.

- NAT-50-3010** 1 gallon
- NAT-50-3003** 5 gallon



## WATER CLARIFIERS

**PRO SERIES NATURAL CLARIFIER** — Easy to use natural clarifier. Clears cloudy water quickly. Cannot be overdosed. Can be used at the same time as shock in order to polish pool water. 1oz. per 5,000-7,000 gallons depending on cloudiness/bather load.

- NAT-50-3009** 1 gallon
- NAT-50-3015** 5 gallon



## ALGAECIDES

**ALGAE BREAK** — One treatment controls blue-green, black, & mustard algae for three months! Non-Staining. Dosage: add 16oz per 10,000 gallons over large area of pool. For severe algae, adjust pH to 7.2 and double the dosage.

- NAT-50-0760** 1 gallon 4/cs
- NAT-50-0765** 5 gallon



**POOL FIRST AID** — The pool problem solver. Gets rid of scum build-up, waterline ring, cloudy water, clogging filters, and chemical odors. Includes electrolyte polymer clarifier for quick results. Dosage: 2 oz. per 1,000 gallons.

- NAT-50-909** 2 liter bottle (67.6 oz.)



## ENZYMES

### PRO SERIES PRO ZYMES POOL

Naturally biodegrades organics. Ensures sparkling pool water, lengthens filter cycles, and eliminates waterline and scum deposits. Initial dosage: 1 oz. per 1,000 gallons. Maintenance dosage: based on bather load. Refer to bottle for dosages.

- NAT-50-3000** 1 gallon
- NAT-50-3001** 5 gallon



### PRO SERIES PRO ZYMES SPA

Specially formulated for high-use, hot water environments. Patented enzyme formula breaks down and helps remove organic waste. Dramatically improve water and air quality while reducing labor and chemical usage. Dosage: 1 oz. per 100 gallons.

- NAT-50-3013** 1 gallon
- NAT-50-3002** 5 gallon



**CLEAN AND PERFECT** — Citrus based enzyme cleaner effectively breaks down organic contaminants such as grease, grime, oils and lotions allowing dirt to be released. Can be used on decks, tile and patio furniture. 100% non-toxic/biodegradable and will not effect pool chemistry.

- NAT-50-912** 22 oz. spray bottle
- NAT-50-928** 5 gallon



## FILTER CLEANERS

**PRO SERIES FILTER CLEANER** — This highly concentrated, deep cleaning solution uses SMARTZyme™ technology to remove oils, grease, and other non-living organic waste naturally without the use of acid. Effective on all filter types. Remove filter cartridges or D. E. grids and soak in a solution of 1/2 gallon of cleaner per 5 gallons of water for 6 hours, rinse thoroughly.

- NAT-50-3012** 1 gallon
- NAT-50-3004** 5 gallon



**PRO SERIES PIPE PURGE** — Cleans pool and spa plumbing of built up non-living organic waste using SMARTZyme technology. Removes the cause of many pool and spa water quality issues. Cleans where you can't! Add 1 gallon per 15,000 gallons spread through skimmers or gutter. Backwash after 24 hours. Follow with shock treatment if needed.

- NAT-50-3014** 1 liter



**SEAKLEAR ALGAE PREVENTION & REMOVER** — Unique low dosage organic copper complex formula is non-staining and non-foaming. Effective against blue-green, black, and mustard algae. Single treatment lasts 3 months. Dosage: 1 quart treats 20,000 gallons for algae kill or bloom. Maintenance dosage: 10 oz. per 20,000 gallons monthly. Lower pH to 7.2 during treatment.

- VAN-50-935** 1 quart
- VAN-50-918** 1 gallon



**TILE CLEANER** — Liquid tile cleaner removes, grime, oils, and water line ring in one operation. Works on tile, fiberglass, and acrylic pool surfaces. Apply as it comes from the bottle with a sponge or soft cloth/brush and swab surface to be cleaned.

- EZC-50-1084** 1 quart

**THICK TILE AND VINYL CLEANER** — Removes oil and scum lines from tile and vinyl surfaces. Cleans grout lines, yet is non-abrasive and cleans down into pores to remove soils. Thick formula stays put on vertical surfaces. Apply onto surface stains and massage with cloth or sponge. Rinse after 1-2 minutes.

- VAN-50-860** 1 quart



**ENZYME PRO COMMERCIAL** — ENZYMEPRO contains natural enzymes which safely break down micro and organic contaminants. Initial Dosage: 1 gallon per 50,000 gallons, Maintenance Dosage: 1qt per 50,000 gallons once weekly.

- CHF-50-648** 1 gallon
- CHF-50-645** 5 gallon
- CHF-50-646** 30 gallon



**REVIVE PRO COMMERCIAL** — Designed to remove phosphates, metals including copper and iron, scaling carbonates, organic debris and other contaminants that cause troubled water. RevivePRO is formulated for use on new pool start-ups, replaster/remodel/refills, spring openings, severe algae cleanups, and routine maintenance. Crystal clear, swim-ready water with a NO ALGAE GUARANTEE® when used with EZpoolPRO.

- CHF-50-635** 5 gallon
- CHF-50-636** 30 gallon



**PEPPER PRO** — Formulated to work with the unique demands of salt water pools. Benefits of using PepperPRO include enhanced water quality, maintenance of low phosphate levels, improvement of sanitizer effectiveness, pool equipment protection, and chlorine generator life extension.

- CHF-50-610** 40 lb. pail



## EZ POOL PRO COMMERCIAL

Provides simplicity with incredible water quality. EZPoolPRO contains a stable oxidizer, proprietary algae shield formula, water balancers, and scale build-up inhibitors that clarifies and conditions to provide soft, sparkling clear, oxygen rich swimming water. No waiting to swim!

- CHF-50-600** 40 lb. pail



## SPA CHEMICALS

**PRO SERIES EZ SPA PRO** — A food grade anti-foam agent. Effectively cuts down foam and prevents foam buildup. Dosage: ½ teaspoon per treatment maximum. Wait 10-15 min. before repeating.

- CHF-60-620** 25 lb. pail

# Test Kits



TAY-45-1147

## TAYLOR TEST KITS

**TAYLOR COMPLETE TEST KITS** — Available with English or Spanish instructions. Tests for free, combined and total chlorine, bromine, pH, acid/base demand, total alkalinity, calcium hardness, and cyanuric acid. Also includes Taylor's Watergram to help determine proper dosage of treatment chemicals. The Complete Test Kit includes .75 oz. reagent bottles and the Service Complete Test Kit includes larger 2 oz. reagent bottles.

Description	English	Spanish
Complete	TAY-45-1147	TAY-45-1124
Service Complete	TAY-45-1058	TAY-47-8507

## TAYLOR LIQUID REAGENTS

Reagent	Taylor #	.75 oz.	2 oz.	16 oz.
DPD No. 1	R-0001	TAY-45-995	TAY-45-1002	.
DPD No. 2	R-0002	TAY-45-996	TAY-45-1003	.
DPD No. 3	R-0003	TAY-45-1011	TAY-45-1017	.
pH Indicator Solution	R-0004	TAY-45-997	TAY-45-1019	TAY-45-877
Acid Demand Reagent (ADR)	R-0005	TAY-45-1012	TAY-45-1018	TAY-45-990
Base Demand Reagent (BDR)	R-0006	TAY-45-1013	TAY-45-1020	TAY-45-993
Thiosulfate N/10	R-0007	TAY-45-1006	TAY-45-1004	TAY-45-991
Total Alkalinity Indicator	R-0008	TAY-45-998	TAY-45-1001	TAY-45-892
Sulfuric Acid .12N	R-0009	TAY-45-1007	TAY-45-1005	TAY-45-894
Calcium Buffer	R-0010	TAY-45-1014	TAY-45-1021	TAY-45-896
Calcium Indicator Liquid	R-0011L	TAY-45-897	TAY-45-1022	TAY-45-898
Hardness Reagent	R-0012	TAY-45-1015	TAY-45-1023	TAY-45-992
Cyanuric Acid Reagent	R-0013	TAY-45-1137	TAY-45-1061	TAY-45-902
Phenol Red Indicator	R-1003J	TAY-45-1046	TAY-45-1024	TAY-45-1010
Chromate Indicator	R-0630	.	TAY-45-1034	.
Silver Nitrate	R-0718	TAY-45-1077	.	.
FAS-DPD Titrating Chlorine	R-0871	TAY-45-1098	TAY-45-987	TAY-45-1135
FAS-DPD Titrating Bromine	R-0872	TAY-45-1065	TAY-45-1050	.
Phosphate Reagent #1	R-0980	TAY-45-1150	.	.
Phosphate Reagent #2	R-0981	TAY-45-1151	.	.
Deox Reagent	R-0867	TAY-47-8511	TAY-45-1064	.

## TAYLOR POWDERED REAGENTS

Reagent	Taylor #	10 gram	50 gram	.25 lb
Calcium Indicator Powder	R-0011P	.	TAY-47-9705	.
DPD Powder	R-0870	TAY-45-983	.	TAY-45-985



TAY-45-1016

**TAYLOR STARTER TEST KIT** — Basic Starter Test Kit includes: tests for free, combined and total chlorine, and pH with acid/base demand. Uses .75 oz. reagents.  
TAY-45-1016



**PHOSPHATE TEST KIT** — New test kit helps identify phosphate levels present in your pool water. Range 0-1000 ppm.  
TAY-45-1079



TAY-47-915

## TAYLOR TITRATION TEST KITS

**TAYLOR COMPLETE FAS-DPD TEST KITS**  
Same as the Complete Test Kit except uses a titration based drop test for chlorine or bromine. Eliminates color matching problems associated with color comparators. The Complete Chlorine/Bromine FAS-DPD includes .75 oz. reagents and the Service Complete uses 2 oz. reagents.  
TAY-47-915 Complete Chlorine FAS-DPD  
TAY-47-3016 Complete Bromine FAS-DPD  
TAY-45-1133 Service Complete Chlorine, FAS-DPD



TAY-45-1148

**TAYLOR SALT TEST KITS** — Combines Taylor's top selling combination test kits and adds sodium chloride test for monitoring salt levels in the pool, when using a chlorine generator. Measures: free chlorine, total chlorine, pH, alkalinity, calcium hardness, cyanuric acid, and sodium chloride. Available with DPD sanitizer test or FAS-DPD sanitizer test. Uses .75 oz. reagents.  
TAY-45-1148 DPD/Salt, .75 oz.  
TAY-45-1902 FAS-DPD/ Salt, .75 oz.







LAM-47-2056

## LAMOTTE PHOTOMETER TEST KITS

### LAMOTTE COLORQ PRO TEST KITS

Hand-held photometer measures pool tests directly on a digital display for accurate test results. The **ColorQ PRO 7** is available with liquid reagents or easy-to-use test tabs. Includes convenient carrying case. The **ColorQ PRO 9 Plus** features liquid reagents and easy-to-use test tabs. Includes rugged plastic carrying case for on-site testing.

#### LAM-47-XXXX

Item	Description	Reagent Refill
2056	ColorQ PRO 7 Liquid	2057
2059	ColorQ PRO 7 Test Tabs	2073
2067	ColorQ PRO 9 Plus	8538



LAM-47-2067

### COLORQ PRO TEST KIT RANGES

Test	Range	ColorQ PRO 7	ColorQ PRO 9
Free Chlorine	0 - 10 ppm	incl.	incl.
Total Chlorine	0 - 10 ppm	incl.	incl.
Bromine	0 - 22 ppm	incl.	incl.
pH	6.5 - 8.5 ppm	incl.	incl.
Total Alkalinity	0 - 250 ppm	incl.	incl.
Calcium Hardness	0 - 700 ppm	incl.	incl.
Cyanuric Acid	0 - 125 ppm	incl.	incl.
Iron	0 - 3.0 ppm	•	incl.
Copper	0 - 4.0 ppm	•	incl.



### LAMOTTE COLORQ LIQUID REAGENTS

Reagent	LaMotte #	ColorQ PRO 7 Test Kit (Liquid) 30 ml	ColorQ PRO 9 Test Kit (Liquid) 60 ml
DPD 1A	6740	LAM-45-845	LAM-45-838
DPD 1B	6741	LAM-45-846	LAM-45-837
DPD 3	6743	LAM-45-847	LAM-45-908
pH Reagent	7037	LAM-47-7037	LAM-47-7043
Total Alkalinity	7038	LAM-47-7038	LAM-47-7044
Calcium Hardness 1	7042	LAM-47-7042	LAM-47-7046
Calcium Hardness 2	7041	LAM-47-7041	LAM-47-7045

### LAMOTTE COLORQ TABLET REAGENTS

Reagent	LaMotte #	100 (Test Tabs)	1,000 (Test Tabs)	ColorQ PRO 7 Test Kit (Test Tabs)	ColorQ PRO7 Test Kit (Liquid)	ColorQ PRO9 Test Kit (Test Tabs)
DPD 1 Instrument Grade	6903A	LAM-47-1121	LAM-47-2068	incl.	•	•
DPD 3 Instrument Grade	6197A	LAM-47-1119	LAM-47-6198	incl.	•	•
pH Instrument Grade	3880A	LAM-47-2200	LAM-47-2070	incl.	•	•
Alkalinity Instrument Grade	3882A	LAM-47-2201	LAM-45-1001	incl.	•	•
Calcium Hardness Instrument Grade	3883A	LAM-47-8520	LAM-45-1002	incl.	•	•
Cyanuric Acid	6996A	LAM-47-2069	LAM-45-1000	incl.	incl.	incl.



LAM-45-889

LAM-45-890

### INSTANT STRIP TEST KITS

**LAMOTTE INSTA-TEST STRIPS** — Instant reliable results without reagents. 50 strips per bottle.

Tester	Insta-Test 6	Insta-Test 5	Insta-Test 3
Item	LAM-47-778	LAM-45-890	LAM-45-889
Total Chlorine	0-10 ppm	0-10 ppm	•
Free Chlorine	0-10 ppm	0-10 ppm	0-10 ppm
Bromine	•	0-20 ppm	0-20 ppm
Alkalinity	0-240 ppm	0-180 ppm	0-180 ppm
pH	6.2-8.4	6.2-8.4	6.2-8.4
Cyanuric Acid	0-250 ppm	•	•
Total Hardness	50-800 ppm	50-800 ppm	•
Phos	0-25,000 ppm	•	•



RAI-45-828

### CYANURIC ACID TEST KITS

**CYANURIC ACID TEST KIT** — For reading the level of stabilizer or conditioner in pool water by means of a turbidity chart. Range 0 to 100 ppm. Comes with 8 oz. of test reagent.

#### RAI-45-828

RAI-45-812 Repl. Cyanuric Acid Reag., 16 oz.

RAI-45-904 Repl. Cyanuric Acid Reag., 1 quart



# Water Chemistry Controllers




## CHEMTROL CONTROLLERS

**CHEMTROL PC 2100** — Advanced microprocessor technology provides precision control of automated sanitizers, oxidizers, & pH feeders. User friendly controller is reliable and easy to install and operate. Monitors ORP and pH levels and display's sanitizer PPM. Additional options available for: true PPM control, TDS/Conductivity/Temperature monitoring, Flow monitoring, and Temperature control. Includes: flow cell assembly with rotary safety flow switch and large 8-line LCD display. Automatically logs data results for up to 999 tests and calculates Langelier Saturation Index for water balance. PC Sensor Cell Cabinet ordered separately. Factory startup required. **NSF Listed. 5 year electronics warranty.**

**SBC-45-8511** Chemtrol PC 2100  
**SBC-45-9001** Factory Startup

Options - SBC-451-XXXX	2100
PPM Control Option	9520
PPM Display	incl.
TDS/Conductivity/Temp. Monitoring	9528
Temperature Control	9529
Flow Monitoring	9512
Water Level Control	.
Influent/Effluent Pressure Monitoring	.
Additional Common Options	2100
Ethernet/Internet/Remote	9522
4-20 mA (5 Channels for display outputs)	9521
RS-485 Direct Computer Operation	9527



100 1001 9578 9577 9566

**CHEMTROL PROBES** — Chemtrol probes include a 10' cable and have a **1 Year Warranty**. Use with 1/2" sensor cell or 1/2" probe fitting.

**SBC-451-1000** ORP Probe  
**SBC-451-1001** pH Probe  
**SBC-451-9578** Temperature Probe  
**SBC-451-9577** Temp./TDS Probe  
**SBC-451-9566** PPM Probe, new style

### CHEMTROL PPM PROBE PARTS

**SBC-451-9568** Replacement PPM Membrane  
**SBC-451-9567** Replacement PPM Gel



**CHEMTROL 255** — Ideal for use on commercial hotel, motel, apartment, and condominium pools. The Chemtrol 255 PPM/pH digital controller provides direct reliable readings of Free Chlorine and pH. Easy-to-use controller offers front panel adjustments for desired set points, proportional feed, out-of-range indicating lights, safety feed lockout and is compatible with Cyanuric Acid concentrations in pools. Includes low pressure cell for PPM probe installation. Includes by-pass line assembly. Sensor cell cabinet ordered separately. **NSF Listed. 5 year electronics warranty.**

**SBC-45-2001** Chemtrol 255



**SBC-451-9510**

### CHEMTROL BY-PASS ASSEMBLY

Schedule 80 by-pass line assembly. Complete-bypass assembly includes: valves, sample port, and acrylic sensor cell.

**SBC-451-9510** By-pass line Assembly



**CHEMTROL 250** — Ideal for use on commercial hotel, motel, apartment, and condominium pools. The Chemtrol 250 ORP/pH digital controller provides direct reliable readings of Oxidation Reduction Potential (ORP) of sanitizer effectiveness and pH. Easy-to-use controller offers front panel adjustments for desired set points, proportional feed, out-of-range indicating lights, safety feed lockout and is compatible with Cyanuric Acid concentrations in pools. Optional by-pass line assembly and sensor cell cabinet ordered separately. **NSF Listed. 5 year electronics warranty.**

**SBC-45-2000** Chemtrol 250



**SBC-451-9574**

**SENSOR CELL CABINET** — Lockable fiberglass cabinet to protect probes. Includes: acrylic see-thru sensor cell. Houses Chemtrol ORP and pH probes and plumbing fittings. By-pass line assembly ordered separately.

**SBC-451-9574** Sensor cell cabinet


**SBC-451-9575** HP sensor cell cabinet



**IPV-56-8500**

**EROSION SOLENOID VALVE** — Solenoid for water service, normally closed. Use with erosion feeders. 1" FPT with 3/4" bushing. 120 volt.

**IPV-56-8500**



CHT-45-1022



CHT-45-1021



CHT-45-1008

## HAYWARD CONTROLLERS

**HAYWARD CAT 5000** — Wireless, internet-based water quality controller employing both satellite and terrestrial communications. Micro-processor-based technology, the CAT 5000® offers unprecedented product quality, value and ease of use. Simply install the factory assembled CAT 5000® system and log onto PoolComm to activate your wireless account and begin monitoring. Using your personal PoolComm account, you can view water quality data, print charts and graphs, customize your settings and receive alarm notifications via email or SMS.

**CHT-45-1022** CAT 5000 Sys w/ WiFi

**CHT-45-1013** CAT 5000 Sys w/ Cellular

**HAYWARD CAT 4000** — The CAT 4000® is a wireless commercial remote water quality controller. The controller provides picture-perfect water quality on-site and remote monitoring via the Internet or web-enabled mobile device from anywhere in the world. Using the CAT 4000 systems, you can easily log onto PoolComm to activate your wireless account and begin monitoring your water quality. You can view water quality data, print charts, analyze graphs, customize your settings and receive alarm notifications via email or SMS. Incredibly simple to install and operate via simple menus and a bright alphanumeric display. Comes complete with CAT Professional Series pH and ORP sensors for unsurpassed performance. Optional Wi-Fi® communications protocol provides users free PoolComm access.

**CHT-45-1021** CAT 4000 Sys w/ WiFi

**CHT-45-1031** CAT 4000 Sys w/ Cellular

**HAYWARD CAT 2000** — Constantly monitors pH and sanitizer activity (chlorine, bromine, even salt systems) and automatically implements chemical feed. Digital, microprocessor-based design with flash technology. Advanced control features including proportional feed. Weatherproof membrane switch front panel interface. All factory settings are permanently stored in memory. Simple installation, setup and operation. Compatible with all types of chemical feed equipment. Dry-contact outputs provided for salt-chlorine systems.

**CHT-45-1008** CAT 2000 professional pkg



**HAYWARD HCC 4000** — Monitors pH and ORP and calculates derived free chlorine and displays PPM. The HCC 4000 Controllers are compatible with the Hayward PoolComm portal and app. Comes with standard Hayward Professional Series Sensors. Optional gold ORP probes available for accurate readings in a salt pool application. Can internally store and display average daily chemical reading for up to 10 Days. **Meets California Title 22 requirements. NSF/ANSI Certified.**

**NSF/ANSI Certified.**

**HAY-45-1021** HCC 4000 w/ WiFi

**HAY-45-1022** HCC 4000 w/ Cell

**HAY-45-1023** HCC 4000 w/ WiFi - Gold

**HAY-45-1022** HCC 4000 w/ Cell - Gold



**HAYWARD HCC 2000** — Microprocessor based controller monitors pH and ORP and features proportional feed to insure precise control. The HCC 2000 Controllers are available as a standard package or pre-mounted on a PVC backboard, including chemical feed pumps for acid and chlorine feed. Includes: flow cell & flow sensor.

**HAY-30-2000** HCC 2000 w/ Pkg

**HAY-30-2001** HCC 2000 w/ Pkg - Pre-Mounted

**HAY-451-0015** pH Sensor

**HAY-451-0025** ORP Sensor-Gold

Controller Options	CAT Controller Package		
	5000	4000	2000
pH	incl.	incl.	incl.
ORP	incl.	incl.	incl.
Temperature	incl.	.	.
Total Dissolved Solids	incl.	.	.
NaCl (Salt)	incl.	.	.
Backup Sanitization	incl.	incl.	.
Free Chlorine	.	.	.
LSI Calculation	.	.	.
Total Dynamic Sanitizer Control	.	.	.
Water Level	<b>CHT-451-1008</b>	<b>CHT-451-1008</b>	.
Tank Level	<b>CHT-451-1004</b>	<b>CHT-451-1004</b>	.
Digital Flow	<b>CHT-451-1001</b>	<b>CHT-451-1001</b>	.
Auxiliary Relays	2	1	.
Powered Auxiliary Relays	.	.	.
PVC Backboard	incl.	incl.	.
Mounting Bracket	.	.	.
Flow Cell/Flow Sensor	.	.	.
Installation Kit	incl.	incl.	.
Touch Screen Display	incl.	incl.	.
Bluetooth Enabled	.	.	.
4-20ma Inputs	.	.	.
Circulation Pump Inter-lock	.	.	.
Wireless Web-based Communications	Wi-Fi, Cellular & Satellite	Wi-Fi & Cellular	.
Machined Flow Cell & Rotary Flow Sensor	<b>CHT-451-1000</b>	<b>CHT-451-1000</b>	<b>CHT-451-1000</b>
2 Year Gold Tip ORP Probe for Salt	<b>HAY-45-1010</b>	<b>HAY-45-1010</b>	<b>HAY-45-1010</b>
3 Year Cat Pro ORP Sensor	<b>CHT-45-8501</b>	<b>CHT-45-8501</b>	<b>CHT-45-8501</b>
3 Year Cat Pro PH Sensor	<b>CHT-45-8500</b>	<b>CHT-45-8500</b>	<b>CHT-45-8500</b>

# Chlorinators



## CCH FEEDERS ENDURANCE CAL-HYPO FEEDER

Designed specifically for the commercial pool operator. Easy to use erosion feed system with no moving parts. Utilizes newly patented slow dissolve calcium hypochlorite tablet. Provides consistent sanitizer levels with no cyanuric acid build-up compared to trichlor feeders. Effective for outdoor pools up to 30,000 gallons and indoor pools up to 98,000. Can be fully automated and interfaced with any automated ORP control system. 4.5 pound capacity of 2 5/8" CCH Endurance Tablets. Provides maximum feed rate of 7.0 lbs./day for a pool and 5.5 lbs./day for a spa. **NSF Listed.**

- AWC-45-7310** Endurance Feeder
- AWC-50-3227** Endurance tablets, 25 lb.



**CCH CAL-HYPO FEEDER** — Large capacity Calcium Hypochlorite Tablet Feeder provides consistent sanitizer levels without the hassles of cyanuric acid build-up. Effective for outdoor pools up to 50,000 gallons and indoor pools up to 150,000 gallons. Can be installed in series for larger applications. Can be fully automated and interfaced with any automated control system. 13 pound capacity of 2 5/8" CCH Tablets. Provides maximum feed rate available chlorine of 18 lbs./day. **NSF Listed.**

- AWC-45-9531** CCH Cal-Hypo suction feeder
- AWC-45-9532** CCH Cal-Hypo gravity feeder
- AWC-50-3220** CCH Cal-Hypo tablets, 50 lb.



## CCH® ELITE CHLORINATION SYSTEM

High capacity erosion (HCE) feeder that is compact with a modular design. The feeder uses calcium hypochlorite that produces a concentrated liquid chlorine solution for clean and sanitized water. This innovative feeder system is easy to maintain and service with a flexible design that allows for easy integration for small to large commercial pools. Includes: feeder, installation connection kit, and booster pump. Tablet capacity: 70 pounds of CCH 1" tablets. Feed rate of: 5-120 lbs. per day of available chlorine. 110 VAC. **NSF Listed.**

- AWC-45-7327** CCH Elite feeder
- AWC-50-3215** CCH Cal-Hypo tablets, 45 lb.



## VERSACHLOR FEEDERS EASY FEED CHLORINATION SYSTEM

Specially designed for wading pools and spas. The VersaChlor LF-12 is the smallest unit in a full line of VersaChlor chlorinators engineered with commercial pools in mind. The VersaChlor system is cyanuric acid-free and delivers chlorine at a more predictable rate than Trichlor systems. 1.4 lb storage capacity. NSF 50 feed rate at 2 lbs. of chlorine per day. **NSF Listed.**

- AXL-45-0357** LF-12 Chlorination System
- PPG-50-0375** VersaChlor Cube Tablet, 37.5 lb.



**VERSACHLOR EASY FEED CHLORINATION SYSTEMS** — The Versa Chlor chlorination system is designed to deliver predictable chlorine levels and provide easier water balance to commercial pool facilities. The Versa Chlor system's proprietary calcium hypochlorite tablet eliminates the issues with over-stabilization associated with Tri Chlor systems. The Versa Chlor I feeders can provide up to 36 lbs./Day of available chlorine and can feed pools up to 80,000 gallons and the Versa Chlor III feeders can provide feed rates of up to 153 lbs./Day of available chlorine and can feed pools up to 300,000 gallons. Both systems are available as a feeder only or as a pre-plumbed skid mounted package with controller input, booster pump, 120 Volt/15 amp power. **NSF Listed.**

Item	Description	Tablet Capacity	Feed Rate	Pool Gallonage
<b>AXL-45-0181</b>	Versa Chlor System I	25 lb.	36 PPD	80,000 Gallons (Outdoor Stabilized)
<b>AXL-45-1113</b>	Versa Chlor System I - Skid Mount	25 lb.	36 PPD	40,000 Gallons (Outdoor Unstabilized) 150,000 Gallons (Indoor)
<b>AXL-45-0307</b>	Versa Chlor System III	100+ lb.	153 PPD	300, 000 Gallons (Outdoor Stabilized)
<b>AXL-45-1114</b>	Versa Chlor System III - Skid Mount	100+ lb.	153 PPD	150, 000 Gallons (Outdoor Stabilized) 500,000 Gallons (Indoor)
<b>PPG-50-0375</b>	Versa Chlor Cube Tablets, 37.5lb.			



**GHS-45-823**

## CHEMICAL FEED PUMPS

### STENNER CHEMICAL FEED PUMPS

QuickPro Series single head, peristaltic metering pumps with unique control mechanism that allows pump feed rate to be scaled from 5%-100%. Built with three detachable components: motor, feed rate control and pump head. Output is determined by: motor rpm, percentage setting of feed rate control and pump tube size. 120v/60 Hz. 220v models also available. Includes: pump, spare pump tube, connecting nuts, ferrules, 20' suction/discharge tubing, injection fitting, weighted suction line strainer, latches, mounting bracket, and operations manual. Rain Roof for outdoor installation ordered separately. Adjustable models tested to conform to **ANSI/NSF STD 50**.

Single Head	Feed Tube Size	Maximum Output	Total Output
<b>45 M Series</b>			
<b>GHS-45-912</b>	#2	.5 - 10 GPD	10 GPD
<b>GHS-45-809</b>	#5	2.5 - 50 GPD	50 GPD
<b>85 M Series</b>			
<b>GHS-45-8510</b>	#2	.8 - 17 GPD	17 GPD
<b>GHS-45-823</b>	#5	4.3 - 85 GPD	85 GPD
<b>GHS-451-3997</b>	Stenner Rain Roof		



**GHS-45-8503**

### STENNER CHEMICAL FEED PUMPS

QuickPro Series dual head, peristaltic metering pumps. Same as single head pump features described above. 120v/60 Hz. 220v models also available. Includes: pump, spare pump tube, connecting nuts, ferrules, 20' x 3/8" suction/discharge tubing, injection fitting, weighted suction line strainer, latches, and mounting bracket. Rain Roof for outdoor installation ordered separately. **ANSI/NSF STD 50**.

Dual Head	Feed Tube Size	Maximum Output	Total Output
<b>100 MDC Series</b>			
<b>GHS-45-8500</b>	#2	1.0 - 20 GPD	20 GPD
<b>GHS-45-8501</b>	#5	5.0 - 100 GPD	100 GPD
<b>170 MDC Series</b>			
<b>GHS-45-8502</b>	#2	1.7 - 34.0 GPD	34 GPD
<b>GHS-45-8503</b>	#5	8.5 - 170.0 GPD	170 GPD
<b>GHS-451-3997</b>	Stenner Rain Roof		



**GHS-45-8513**

## LOW DOSAGE PERISTALTIC CHEMICAL FEED PUMPS

**STENNER ECON-T CHEMICAL FEED PUMPS** — Compact, easy to program pump for timed applications. Flexibility to schedule up to 24 separate events within a 7 day period. Features a 24 hr. integral clock that has a battery back-up to maintain the time of day. Automatic dosing control for reliable timed dispensing of low volume liquid solutions, such as enzymes or liquid solar blankets. Includes: pump, spare pump tube, 1/4" suction/discharge tubing, injection fitting, weighted suction line strainer, mounting bracket, and operations manual. Additional output sizes available - inquire. 120v/60 Hz. For indoor use. **NSF 61 Listed**.

Item	Output GPH	Output GPD	PSI
<b>GHS-45-8513</b>	.02	0.6	80
<b>GHS-45-8515</b>	.05	1.3	80
<b>GHS-45-8512</b>	.10	2.5	25
<b>GHS-45-8514</b>	.21	5.0	25



## CHEMICAL TANKS

**ROLA-CHEM CHEMICAL TANKS** - Poly chemical tank with cover and cap plug.

- ROL-45-9002** 5 gallon
- ROL-45-9003** 15 gallon
- ROL-45-9004** 30 gallon
- ROL-45-9005** 55 gallon



**ROL-45-3818**

## ROLA-CHEM CHEMICAL FEED PUMPS

Peristaltic feed pump. Measured feed rate with built-in timing system, heavy-duty gear motor, self priming pumping with quick release cover for fast tubing access, and chemical resistant plastic housing. Includes: feed tube, 66" x 7/16" vinyl discharge tubing, and injection fitting. 120 volt, 60 HZ. **NSF Listed**.

**ROL-45-3811** 12.0 GPD @ 30 psi

**ROL-45-3818** 38.0 GPD @ 30 psi

**ROL-45-3824** 77.0 GPD @ 30 psi



**GHS-45-954**

**STENNER SOLUTION TANKS** — The polyethylene construction is both lightweight and rugged. The solution tanks have incremental level indicators and are equipped with a child resistant lid. The tank is designed to vertically mount the Stenner pump over the tank's containment basin. The Mixer is designed to fit the Stenner tank or tank system and is utilized when injecting solutions that are difficult to keep in suspension.

Stenner offers the tanks in UV resistant gray or translucent white. Select from 3 sizes: 7.5-gallon, 15-gallon, and 30-gallon. Additional parts are not needed when purchasing a tank for an existing Classic single head adjustable or single head fixed, SVP or M128 pump. If selecting a tank for an existing Econ FP, Econ T or Stennicator, a mounting kit is required, part number EC303. The same mounting kit can be used to attach an Econ pump to a wall. A Stenner single head pump is installed on the tank with the pump head positioned away from or below the pump body.

Size	White	Grey
7.5 Gallon	<b>GHS-45-951</b>	<b>GHS-45-950</b>
15 Gallon	<b>GHS-45-953</b>	<b>GHS-45-1000</b>
30 Gallon	<b>GHS-45-955</b>	<b>GHS-45-954</b>

# Chlorine Generators



## CHLORINE GENERATORS

### CHLORING CHLORINE GENERATORS

Patented single cell chlorine generator systems with production rates up to 28 lb. per day(PPD). The water cooled, switch mode power supply draws lower amperage for lower electrical installation costs. The reversing polarity cells facilitate fewer maintenance issues from mineral buildup and cell bridging. Salt is added to your swimming pool or spa water (1 lb. per 3,000 gallons) which then passes over a series of plates charged with low voltage electricity to produce chlorine. Units can handle pool sizes from 2,500 to 140,000 gallons. **NSF 50 Certified.**

Item	Description	Voltage	Voltage
*CRG-COM	CHLOR 2.0MSM	2.2 lb. /day	120 Volt
*CRG-COM	A2 CHLOR 3.0MSM	3.0 lb. /day	120 Volt
*CRG-COM	A3 CHLOR 5.0MSM	6.0 lb. /day	120 Volt
*CRG-COM	A4 CHLOR 7.5SM	8.0 lb. /day	208/240 Volt
*CRG-COM	A5 CHLOR 10.0SM	11.0 lb. /day	208/240 Volt
*CRG-COM	A6 CHLOR 12.5SM	14.0 lb. /day	208/240 Volt
*CRG-COM	A7 CHLOR 15.0SM	17.0 lb. /day	208/240 Volt
*CRG-COM	A8 CHLOR 20.0SM	22.0 lb. /day	208/240 Volt
*CRG-COM	A9 CHLOR 25.0SM	28.0 lb. /day	208/240 Volt



**SALINE C SERIES SYSTEM** — The Saline C<sup>®</sup> 6.0 and Saline C 11.0 NSF certified commercial salt chlorine generators are designed to produce up to 6 lbs. or 11 lbs. of chlorine per day. Their compact designs are comprised of a single clear vessel and power supply, eliminating the need for daisy chaining multiple cells. This more-efficient design lowers installation costs and consumes less space. Designed specifically for commercial applications, pool operators/managers can now offer the benefits of a salt-chlorinated pool while lowering their sanitization costs by up to 60%.

- HAY-45-3015** Saline C 6.0
- HAY-45-3018** Saline C 11.0
- HAY-45-3016** HCSJ Box - Back Up



## LOW PRESSURE UV DISINFECTION SYSTEMS


**CHLOR KING ULTRAVIOLET DISINFECTION SYSTEMS** — Designed for commercial pools and spas. Uses low pressure, high output amalgam technology, for better chloramine control and inactivation of chlorine resistant bacteria. Improves water quality and air quality for patrons. Also helps meet new Health Codes related to maximum chloramine levels. Systems pay for themselves through low cost of operation and long lasting performance. System uses UV technology to achieve 4 log reduction for the inactivation of cryptosporidium and other chlorine resistant bacteria. Designed with a patent pending quick disconnect sleeve assembly for install, removal, or repair of the chamber. Units can be installed horizontally or vertically in most pump rooms. Constructed of schedule 80 PVC with 316L interior in U-style or full 316L stainless steel that is electro polished and available in U or Z style flange set up. High output amalgam lamps, built in safety sensors for pressure or flow, with flanged inlet and outlet connections. All units operate on 120v. **NSF 50 and UL Listed.**

Item	Model	Lamps	Connection Size	Flow Rate @ 45 mj/cm <sup>2</sup>
<b>CRG-45-8506</b>	SAG-120-APVC	1	2"	75 GPM
<b>CRG-45-8508</b>	SAG-240-APVC	2	3"	150 GPM
<b>CRG-45-8504</b>	SAG-120-A	1	2"	50 GPM
<b>CRG-45-8507</b>	SAG-240-A	2	3"	120 GPM
<b>CRG-45-8509</b>	SAG-480-A	4	4"	350 GPM
<b>CRG-45-8510</b>	SAG-720-A	6	6"	620 GPM
<b>CRG-45-8511</b>	SAG-960-A	8	6" or 8"	770 GPM
<b>CRG-45-8505</b>	SAG-1200-A	10	8" or 10"	1140 GPM



**CMP DEL UV-C PRO SYSTEMS** — Systems use UV-C light to provide superior disinfection and chloramine removal of pool and spa water. Prevents microorganism growth, breaks down chloramines, and optimizes water clarity which allows reduced chemical usage. The UV-C Pro systems use low-pressure (254 nm) bulbs, in a modular design, to provide a completely integrated system. The bulbs cycle on and off quickly with zero downtime, perfect for environments that require total, constant protection. This easy-to-install, high-flow sanitizer system is also easy to maintain. Controls and UV-C reactors are all in one cabinet. UV-C Pro 50 and 100 systems have optional PLC controls. **Certified to NSF/ANSI 50** for Supplemental Disinfection of Pools and Spas.


Item	Description	Max. Flow Rate	Voltage	Inlet/Outlet
<b>*CTM45-COM</b>	UV-C Pro 50 System	50 GPM	115 volt	2"
<b>*CTM45-COM</b>	UV-C Pro 50 System w/PLC	50 GPM	115 volt	2"
<b>*CTM45-COM</b>	UV-C Pro 100 System	100 GPM	115 volt	2"
<b>*CTM45-COM</b>	UV-C Pro 100 System w/PLC	100 GPM	115 volt	2"
<b>*CTM45-COM</b>	UV-C Pro 200 System w/PLC	200 GPM	230 volt	3"
<b>*CTM45-COM</b>	UV-C Pro 350 System w/PLC	350 GPM	230 volt	4"
<b>*CTM45-COM</b>	UV-C Pro 500 System w/PLC	500 GPM	230 volt	6"



## AOP SYSTEMS

**CMP DEL AOP PRO SYSTEMS** — Advanced Oxidation Process (AOP) systems for supplemental oxidation. Ozone and UV-C combine to create hydroxyl radicals that destroy microorganisms, break down chloramines and significantly reduce chemical usage. The optimized ozone/UV-C ratio results in hydroxyl radical creation that far exceeds any competitive AOP system. Destroys 99.9% of Harmful Contaminants: 3-Log Supplemental Water Disinfection. Improves water clarity, controls biofilm, and oxidizes Crypto, Giardia, and other chlorine resistant microorganisms. Simple annual service requirements. Self contained system is easy to install. AOP 50 and 100 systems have optional PLC controls and utilize ambient air supply, while larger units utilize an Oxygen Concentrator. **Certified to NSF/ANSI 50** for Supplemental Disinfection of Pools and Spas.

Item	Description	Max. Flow Rate	Oxygen Feed	Voltage	Inlet/Outlet
<b>*CTM45-COM</b>	AOP Pro 50 System	50 GPM	Ambient Air	115 VOLT	2"
<b>*CTM45-COM</b>	AOP Pro 50 System w/PLC	50 GPM	Ambient Air	115 VOLT	2"
<b>*CTM45-COM</b>	AOP Pro 100 System	100 GPM	Ambient Air	115 VOLT	2"
<b>*CTM45-COM</b>	AOP Pro 100 System w/PLC	100 GPM	Ambient Air	115 VOLT	2"
<b>*CTM45-COM</b>	AOP Pro 200 System w/PLC	200 GPM	O2 Concentrator	230 VOLT	3"
<b>*CTM45-COM</b>	AOP Pro 350 System w/PLC	350 GPM	O2 Concentrator	230 VOLT	4"
<b>*CTM45-COM</b>	AOP Pro 500 System w/PLC	500 GPM	O2 Concentrator	230 VOLT	6"




# Pumps



PUR-10-1017

## INTELLIFLO VS + SVRS



## ENERGY EFFICIENT PUMPS

### PENTAIR INTELLIFLO PUMPS

Available in 2 versions: IntelliFlo VF and IntelliFlo VS+SVRS. These high performance pumps reduce operating costs and are the quietest pumps ever built. **IntelliFlo VF** pump utilizes a variable drive and can reduce pump operating costs up to 90%. Digital controls allow you to program optimum speed per function. TEFC, permanent magnet motor produces less heat and vibration than traditional induction motors. **IntelliFlo VS+SVRS** pump utilizes a variable speed motor that provides energy efficiency, with 8 programmable speeds, ranging from 1150 to 3450 RPM. This pump includes an integrated Safety Vacuum Release System (SVRS) that provides entrapment protection. Complies with VGB Pool and Spa Safety Act Requirements. Both pumps have 2" suction x 2" discharge connections. 230 volt. **NSF Listed.**

**PUR-10-1017** VS+SVRS pump, 3 HP


**PUR-10-1012** VF pump, 3 HP

**PUR-101-3338** Replacement Basket




PUR-10-1012

## INTELLIFLO VF



PUR-10-2055




### PENTAIR INTELLIFLO XF VS PUMP

The IntelliFlo XF Variable Speed pump saves more energy than ever before. Originally designed to combine IntelliFlo XF Variable Speed pump technology with a smoother, ultra-efficient hydraulic design. Eight programmable speeds with multiple scheduling options maximize efficiency. Efficient, ultra quiet TEFC motor and low speed operation contribute to reduce noise. Digital pump interface with 24 hour clock for scheduling. Includes union connections for 2 1/2" and 3" plumbing. 230 volt motor. **NSF Listed.**

**PUR-10-2055** IntelliFlo XF VS pump, 3 HP



PUR-10-2018



### PENTAIR WHISPERFLO XF PUMPS


Whisper quiet, self priming pumps with high efficiency performance are ideal for commercial applications. Large capacity hair and lint strainer with see through lid. 2.5"/3" union connections. Available in 208-230 volt/single phase High Efficiency motors or 208-230/460 volt/three phase TEFC motors. Single speed pump not available in California. **NSF Listed.**

### PUR-10-XXXX

Item	HP	Voltage	Phase	GPM@ 60' TDH
2018	2	208-230 V	1	110 GPM
2017		208-230/460 V	3	
2010	3	208-230 V	1	152 GPM
2018		208-230/460 V	3	
2011	5	208-230 V	1	220 GPM
2019		208-230/460 V	3	



PUR-10-628



**PENTAIR WHISPERFLO XF VS PUMP** — The WhisperFloXF VS Commercial Pump is the first five-horsepower variable-speed pool pump that runs on single-phase or three-phase power. It's an economical, combined motor/drive solution for both HMA (hotel, motel, apartment, condominium) or large residential installations. The WhisperFloXF VS Commercial Pump provides sophisticated, energy-saving pump technology without the high costs typically associated with independent pump/external drive setups. Integrated 5HP motor/drive; no expensive external drive required. Versatile power input capability; runs off a wide range of single- or three-phase power. Speed or flow control for maximum efficiency and pool performance\*. External control capability through automation systems or relays. Intuitive programming and operation. Meets commercial codes and agency requirements. **NSF Listed.**

**PUR-10-628** IntelliFlo XF VS pump, 5 HP





**PUR-10-370**

### PENTAIR WHISPERFLO PUMPS

High efficiency, self priming pool pumps, with large strainer basket and see-thru lid. High efficiency impeller create maximum water flow, while minimizing turbulence and noise. Energy efficient, single speed motors, with commercial grade frame. 2" suction/discharge ports. Available with single phase and TEFC three phase motors. Single speed pumps not available in California. **NSF Listed.**

#### PUR-10-XXX

Item	HP	Voltage	Phase	GPM@ 60' TDH
406	1/2	115/208-230 V	1	40 GPM
367	3/4	115/208-230 V	1	60 GPM
368	1	115/208-230 V	1	76 GPM
412		208-230/460 V	3	
362	1 1/2	208-230 V	1	100 GPM
413		208-230/460 V	3	
370	2	208-230 V	1	112 GPM
645		208-230/460 V	3	
371	3	208-230 V	1	142 GPM
644		208-230/460 V	3	
<b>PUR-301-3338</b>		Replacement PVC Basket		




### STA-RITE MAX-E-PRO PUMPS

High efficiency, self-priming pool pumps. 2" suction/discharge ports incorporate external and internal threads. Large see-thru lid with Quick-Lock cover allows easy inspection and cleaning. Three phase motors are TEFC. 230 volt motors also available. **Single speed pumps not available in California. NSF Listed.**

#### STA-10-XXXX

Item	HP	Voltage	Phase	GPM@ 60' TDH
300	1/2	115/230 V	1	30 GPM
301	3/4	115/230 V	1	55 GPM
302	1	115/230 V	1	72 GPM
8512	1 1/2	208-230/460 V	3	95 GPM
328	2	208-230/460 V	3	115 GPM
324	3	208-230/460 V	3	140 GPM
<b>STA-101-8559</b>		Replacement PVC Basket		





### HAYWARD HCP 3000 SERIES PUMPS

HCP 3000 Series pumps are unmatched in performance and versatility. Offers a variety of power and electrical options, which enable you to provide the right solution for a range of applications. 7HP model achieves more than 250 gpm at 60 ft. of head. Totally Enclosed Fan Cooled motor (TEFC) on all models. Chemical-resistant Viton® seal for long-term durability. Oversized strainer basket reduces maintenance. Remote mountable strainer housing for increased versatility and adaptability. 3" union connections as standard, for simple drop-in replacement or retrofit of a variety of applications. Available in Single or 3-Phase from 208-230/460Volt at 50/60Hz. 1 year limited warranty. **NSF Listed.**

#### HAY-10-XXXX

Item	Size	Phase	Weight with Strainer (lbs.)
0107	3 HP	1	96.0
0108	5 HP	1	102.0
0103	3 HP	3	96.0
0104	5 HP	3	102.0
0105	7 HP	3	107.0

### STA-RITE MAX-E-PRO CURVES




### HAYWARD HCP 4000 SERIES PUMPS

Commercial HCP self-priming pumps provide a technologically advanced alternative to traditional bronze or cast iron pumps. Their lightweight, Noryl™ thermoplastic housings make one-man installation easy. The all-plastic housing construction and modern TEFC motor design afford a high level of protection and reliability in the commercial pump room environment. A transparent cover lid with tool-free opening mechanism allows visual inspection of the strainer basket, simplifying maintenance. Four pumps in the Hayward Commercial Series, ranging from 5.5 to 12.5 HP, allow right-sizing for most high-flow, medium head applications. Suitable for commercial swimming pools, spas and water features. Lightweight, glass-reinforced Noryl™ body, impeller, and connections for maximum strength-to-weight ratio. **NSF Listed.**

#### CHT-10-XXXX

Item	Size	Phase	Weight with Strainer (lbs.)
1004	5 1/2 HP	3	110.0
1005	7 1/2 HP	3	125.0
1006	10 HP	3	142.5
1007	12 1/2 HP	3	155.0



# Pumps & Flow Control



## BOOSTER PUMP

**PENTAIR BOOSTER PUMP** — High pressure booster pump is made from durable, corrosion-proof thermoplastic. 115/230 volt, 1 phase motor.

**LET-20-219** 3/4 HP



## SUBMERSIBLE PUMP

**PENTAIR STAINLESS SUBMERSIBLE PUMP** — Utility drainer pumps water down to 1 3/8" in depth. Stainless steel casing, suction strainer, clog-resistant impeller and shaft, for corrosion resistance. External float switch included. 15 ft. power cord. 115 volt/60 Hz.

**STA-10-445** 3/4 HP



**EGG-85-8100**

## AIR BLOWERS

**COMMERCIAL AIR BLOWERS** — Heavy duty regenerative air blower. Die-cast aluminum housing, impeller, and cover. TEFC motor with permanently sealed ball bearings. Inlet and outlet internal muffling for quiet operation. Installation requires 12-15' of copper plumbing on discharge side. Available in 115/230 volt, 1 phase and 230/460 volt, 3 phase motors.

### EGG-85-XXXX

Blower Size	Single Phase	Three Phase
1 HP	<b>8106</b>	<b>8115</b>
1 1/2 HP	<b>8102</b>	<b>8104</b>
2 HP	<b>8100</b>	<b>8103</b>
3 HP	<b>8501</b>	<b>8502</b>



## TIMERS & CONTROLS

### EMERGENCY SPA SHUT-OFF SYSTEM

Spa side emergency shut-off switch turns off filter pump and spa jet pump instantly. Power center at the equipment site has status lights for pumps and audible alarm. 115V/230V.

**COM-30-6341**



### SPA CONTROL SYSTEM

— Remote spa jet switch with electronic count down timer (15 or 30 minutes) for spa users to activate. Also includes a spa side emergency shut-off switch which disables pumps instantly and filter pump time clock. 115V/230V.

**COM-30-6382**



**VAI-42-100**

## SAFETY VACUUM RELEASE

### VAC-ALERT SVRS SYSTEM

— Safety Vacuum Release System (SVRS) reacts in less than one second to quickly release dangerous pump suction vacuum. Provides a critical layer of protection against body or limb entrapment. This totally mechanical, non-electric safety system is easy to install, adjust, and test. Available in 2 versions - **Submerged** - for below grade submerged suction installations, which provides pump start-up surge protection and **Lift** - for above grade suction lift installations, that allows flow to the pump when priming, for lifts up to 3.5 ft. Fail-safe design is constructed of engineered plastics and Type 316 stainless steel components for long life and reliability. **Meets or exceeds the performance requirements of ASME/ANSI A112.19.17. 3 Year Limited Warranty.**

**VAI-42-101** Vac-Alert, Submerged

**VAI-42-100** Vac-Alert, Lift



**BLU-56-4036**

**BLU-56-4053**

## FLOW METERS & CONTROLS

**BLUE-WHITE FLOW METERS** — Clear acrylic body, stainless steel float, and easy-to-read GPM/LPM scale. Units include: meter, seal, and stainless steel mounting clamps. Available for horizontal pipe and vertical pipe (flow up or flow down). For Sch. 40 PVC pipe installation. Meters for copper tubing mounting also available - inquire. Specify type of pipe.

### HORIZONTAL PIPE - BLU-56-XXXX

Item	Size	GPM Range	Item	Size	GPM Range
<b>4035</b>	1 1/2"	20-100	<b>4039</b>	4"	125-500
<b>4036</b>	2"	40-150	<b>4046</b>	6"	250-1,050
<b>4037</b>	2 1/2"	60-240	<b>4049</b>	8"	500-1,900
<b>4038</b>	3"	80-300	.	.	.

**BLU-561-7022** Repl. Flow Meter Relief Cap

### VERTICAL PIPE - BLU-56-XXXX

Item	Size	Flow Direction	Flow Range
<b>4078</b>	1 1/2"	Up	20-100 GPM
<b>4055</b>		Down	
<b>4053</b>	2"	Up	40-150 GPM
<b>4058</b>		Down	



**GIP-56-1103**

## LEVOLOR ELECTRONIC WATER LEVEL

**CONTROLLER** — Patented water level control system electronically maintains water level in pools, spas, and fountains. Easy-to-read LED display installed in weatherproof enclosure. Remote sensor mounts in stand pipe or static pipe. Includes: level controller (110V), sensor, remote sensor housing, and 1" solenoid valve (24V). Note: Sensor cable must not be spliced. Maximum pressure 125 PSI. Custom length cables available for additional charge.

**GIP-56-1103** Controller with 50 ft. sensor cable

**GIP-56-1104** Controller with 100 ft. sensor cable

**GIP-56-1106** Controller with 200 ft. sensor cable



AMP-30-1100



AMP-30-641

AMP-30-616



JJE-30-1041

## UNDERWATER LIGHTS

**AMERLITE LIGHTS** — Incandescent underwater pool light. Available in 120 volt and 12 volt styles with stainless steel face ring. Niche ordered separately. Units with longer cord lengths are available — inquire. **UL Listed.**

### AMP-30-XXX

Cord Length	120 V 300 W	120 V 500 W	12 V 300 W
15'	773	641	637
50'	776	643	639
100'	793	644	658
Niche - 3/4"	AMP-30-616		
Repl. Lens, 8 3/8"	AMP-301-1212		
Lens Gasket, 8 3/8"	AMP-301-1221		
Repl. Silicone Lens Gasket, 8 3/8"	JJE-301-1004		

## LED POOL LIGHTS

### PURE WHITE LED POOL LIGHTS

Stainless steel LED light fixture, for use in pools or spas. Used 80% less energy than similarly sized incandescent fixture. Available in 500 watt (58 watt LED) and 300 watt (39 watt LED) equivalent output fixtures in 120 volt and 12 volt styles. Niche ordered separately. **3 Year Warranty. ETL Listed.**

### JJE-30-XXXX

Cord Length	300 Watt		500 Watt	
	120 volt	12 volt	120 volt	12 volt
30'	1039	2322	1041	2325
50'	1028	1070	1030	1034
100'	1027	1071	1029	1033
150'	1038	2321	1040	2324
Niche	AMP-30-616			

**PENTAIR AQUALIGHT** — The AquaLight uses halogen quartz bulbs and is designed for installation in small plastic or stainless-steel Pentair niches. The light shell is high-quality stainless steel, and the lens is prismatic tempered glass. Easy service stainless-steel clamp. Low water cutoff. Easy to service. Plastic snap-on face rings and colored lenses available. **UL Listed.**

### AMP-30-XXX

Cord Length	120 V 100 W	120 V 250 W	12 V 75 W
15'	626	630	622
50'	628	632	624
100'	629	633	685
Niche - 3/4"	AMP-30-619		
Repl. Lens, 4"	AMP-301-1225		
Lens Gasket, 4"	AMP-301-8828		



AMP-30-632

## INTELLIBRITE WHITE POOL LED LIGHTS

IntelliBrite 5g white LED pool lights use less watts of power, yet produces illumination equivalent to incandescent lights. Superior lens geometry, with exclusive reflector design, creates a wider beam with more uniform light distribution. Replacement Light Engine Kit includes: LED light assembly, Uni-tension clamp, and lens gasket. Replacement Lens Kit includes: lens and lens gasket. Available in 120 volt and 12 volt styles. IntelliBrite 5g lights work with IntelliTouch® or EasyTouch® Control Systems, the ultimate choices in pool, spa and poolscape equipment automation. In effect, you transfer programming and control of IntelliBrite lights to a central system that controls all your other backyard and pool features. **UL Listed.**

### AMP-30-XXXX

#### 40 WATT LED - EQUIVALENT TO 300 WATT

Cord Length	120 volt	12 volt
30'	1100	1105
50'	1101	1106
100'	1102	1107
150'	1103	1108
AMP-301-1060	Repl. Light Engine Kit	

#### 48 WATT LED - EQUIVALENT TO 400 WATT

Cord Length	120 volt	12 volt
30'	1200	1205
50'	1201	1206
100'	1202	1207
150'	1203	1208
AMP-301-1061	Repl. Light Engine Kit	

#### 55 WATT LED - EQUIVALENT TO 500 WATT

Cord Length	120 volt	12 volt
30'	1300	1305
50'	1301	1306
100'	1302	1307
150'	1303	1308
AMP-301-1062	Repl. Light Engine Kit	

# Valves & Plumbing



## POOL PRO PVC BUTTERFLY VALVES

PVC body, PVC disc, and EPDM materials with 316 stainless steel stem. Seat design eliminates need for mating flange gaskets. Rated at 150 psi (1 1/2" - 10") and at 100 psi (12") at 70°F. Field mountable accessories include: stem extensions, gear operators, and electric or pneumatic operators - inquire.

Size	Lever Handle	Gear Operated
1 1/2"	<b>RYN-56-8557</b>	.
2"	<b>RYN-56-5018</b>	.
2 1/2"	<b>RYN-56-5019</b>	.
3"	<b>RYN-56-5020</b>	.
4"	<b>RYN-56-5022</b>	.
6"	<b>RYN-56-5024</b>	.
8"	<b>HID-56-8546</b>	<b>RYN-56-5026</b>
10"	.	<b>RYN-56-5028</b>
12"	.	<b>RYN-56-5029</b>



## PVC BALL VALVES

**PVC BALL VALVES** — The CMP line of ball valves has one of the largest selections of sizes in the industry from 3/4" to 4" socket size. Our two-way ball valves include easy to adjust replaceable handles.

Size	Item	Size	Item
3/4"	<b>SPG-56-6003</b>	2 1/2"	<b>SPG-56-6007</b>
1"	<b>SPG-56-6004</b>	3"	<b>SPG-56-6005</b>
1 1/2"	<b>SPG-56-6000</b>	4"	<b>SPG-56-6006</b>
2"	<b>SPG-56-6002</b>	.	.



## PVC TRUE UNION BALL VALVES

**PVC TRUE UNION BALL VALVES** — Seat carrier is threaded into the body. The handle can be removed and used as a spanner wrench to tighten the carrier to adjust for seat wear. It can also be used to unthread the carrier to disassemble the valve. **NSF Listed.**

Size	050N	801N
1/2"	<b>LAS-56-0940</b>	.
3/4"	<b>LAS-56-0941</b>	.
1"	<b>LAS-56-0942</b>	.
1 1/2"	<b>LAS-56-0943</b>	<b>LAS-56-0959</b>
2"	<b>LAS-56-0944</b>	<b>LAS-56-0960</b>
2 1/2"	<b>LAS-56-0945</b>	<b>LAS-56-0961</b>
3"	.	<b>LAS-56-0962</b>
4"	.	<b>LAS-56-0963</b>



## SPECIALTY VALVES

### PENTAIR FULLFLO XF VALVES

Available in 2-Way, 3-Way, and diverter styles. These valves are ideal for diverting, shutoff, or mixing applications. PTFE coated diverter seal requires no lubrication. Can be operated by hand or used with motorized valve actuator. Chemical resistant CPVC material with 2 1/2"/3" connection.

- PAC-56-4108** 3-Way Diverter valve
- COM-30-0014** 3-Way Solar valve, drain down
- PAC-56-4110** 2-Way Diverter valve
- PAC-56-4111** 90 degree 2-Way valve
- COM-30-700** Motorized valve actuator, 90°
- COM-30-701** Motorized valve actuator, 120°
- COM-30-699** Motorized valve actuator, 180°
- PAC-56-4112** Straight body check valve
- PAC-56-4113** 90 degree body check valve
- PAC-061-7737** Check valve rebuild kit



## SURFACE SKIMMERS

### AUTOMATIC SURFACE SKIMMER

Swim-quip U-3 trouble free, efficient skimmer with float for low water pump protection. Removes floating leaves and debris from pool surface. Color: white. NSF listed.

**SWQ-25-1569** 2" slip connection — complete



## SKIMMER ACCESSORIES

### U-3 SKIMMER PARTS

- SWQ-251-3789** Skimmer basket
- STA-251-5006** Deck lid (white)
- SWQ-251-3791** 8 3/8" weir
- STA-25-1005** Float valve w/ diverter & o-ring
- STA-25-1013** 1 1/2" spring check valve
- STA-25-1006** 2" spring check valve

## PLUMBING FITTINGS

**PVC PLUMBING FITTINGS** — Available in Schedule 40 and Schedule 80 PVC with solvent weld connections (SOC). Flanges available in Schedule 80 only and are Van Stone style with plastic ring.



90° Ell (SOC)	Schedule 40	Schedule 80
2"	<b>LAS-56-4063</b>	<b>SPE-56-4303</b>
4"	<b>LAS-56-4262</b>	<b>SPE-56-4554</b>
6"	<b>LAS-56-4279</b>	<b>LAS-56-5110</b>
8"	<b>LAS-56-4132</b>	<b>LAS-56-5122</b>
10"	<b>LAS-56-0010</b>	<b>LAS-56-1082</b>
12"	<b>LAS-56-0012</b>	<b>LAS-56-1083</b>



Tee (SOC)	Schedule 40	Schedule 80
2"	<b>LAS-56-4056</b>	<b>SPE-56-5434</b>
4"	<b>LAS-56-4247</b>	<b>LAS-56-5106</b>
6"	<b>LAS-56-4292</b>	<b>SPE-56-9300</b>
8"	<b>LAS-56-4478</b>	<b>LAS-56-5124</b>
10"	<b>LAS-56-0000</b>	<b>LAS-56-1073</b>
12"	<b>LAS-56-0002</b>	<b>LAS-56-1074</b>



Flanges (Van Stone)	Schedule 80	Gaskets
2"	<b>LAS-56-5073</b>	.
4"	<b>LAS-56-4473</b>	<b>RYN-56-4014</b>
6"	<b>LAS-56-4474</b>	<b>RYN-56-4015</b>
8"	<b>LAS-56-3003</b>	<b>DPP-56-8683</b>
10"	<b>LAS-56-4498</b>	<b>RYN-56-4020</b>
12"	<b>LAS-56-4471</b>	<b>RYN-56-4021</b>



## SELF-ANCHORING SKIMMER WEIRS

Easy to install. Just position, pull out pins, and it's done. Stainless steel spring-loaded to ensure against slipping from position. Additional sizes to 16" available - inquire.

- SPG-251-2000** 6" **SPG-251-2009** 8 3/8"
- SPG-251-2001** 7" **SPG-251-2003** 9"
- SPG-251-2002** 8" **SPG-251-2004** 10"



API-25-3101



API-25-2120

**AQUASTAR ROUND VGB DRAINS** — Aquastar offers round single-blockable main drain round covers that come in 8" and 10" sizes. Aquastar's A10 Universal Sumpless Suction Outlet Cover retrofits over all sumps/frames up to 10" with its unique adapter plate. Includes plastic anchor kit.

Item	Size	Description	Open Area (Sq. In.)	Flow Rate GPM	
				Floor	Wall
API-25-3101	10"	A10 Universal Sumpless Grate & Frame	31.5	170	170
API-25-2120	8"	Moflow Grate and Frame	16.6	166	113
API-25-1406	8"	Suction outlet cover with riser ring & frame	13.1	61.2	61.2



API-25-2126



API-25-2162



API-25-1739



API-25-1649

### AQUASTAR SQUARE VGB DRAIN COVERS

#### API-25-XXXX

Item	Size	Description	Open Area (Sq. In.)	Flow Rate GPM	
				Floor	Wall
2126	9"x9"	Moflow Grate and Frame, 3/4"	36.8	258	274
2162		Replacement Moflow Grate, for 1" Frame	35.8	258	274
2138	12"x12"	Moflow Outlet Cover, 3/4"	71.2	274	278
2168		Replacement Moflow Grate, for 1" Frame	69.1	274	278
1739	14"x14"	Universal Square Grate for 9" Frames	84	560	300
1649	16"x16"	Universal Square Grate for 12" Frame	101	460	445
5301	18"x18"	Four 9" Square Star Grates and Frame	160.8	740	740



HAY-25-1908

HAY-25-1913

HAY-251-1045

**HAYWARD VGB GRATES** — These high quality VGB Compliant grates are designed with a smooth, sloped edge for safety and comfort. Available in: retro-fit style for use on existing Hayward frames or with new frame and grate assembly, for new construction. Grates are to be replaced every 7 years after date of install. **Meets ANSI/ASME A112.19.8 performance standard.**

#### HAY-25-XXXX

Item	Size	Description	Open Area (Sq. In.)	Flow Rate GPM	
				Floor	Wall
1908	9" x 9"	Repl. inner frame & grate	23.96	264	224
1912	12" x 12"	Repl. inner frame & grate	41.07	515	308
1913	18" x 18"	Inner & outer frame & grate, pkg. of 2	92.72	812	732
1050	8" dia.	Frame & grate, pkg. of 2	8.1	125	72
HAY-251-1045	Repl. 8" dia. floor cover & screws				



API-251-1114

API-251-1082

API-251-1106

API-251-1058

**VGB SUCTION OUTLET COVERS** — Used to retro-fit skimmer equalizer lines. **4" dia.** - 5.5 sq. in. open area, rated at 24.4 GPM @ 1.5 fps. **6" dia.** - 11.4 sq. in. open area, rated at 53.6 GPM @ 1.5 fps. Includes mounting screws. 2" MPT x 1 1/2" slip sumpless bulkhead fitting ordered separately. Other fitting sizes available - inquire. Color: white

- API-251-1106 4" dia. VGB suction outlet fitting
- API-251-1058 6" dia. VGB suction outlet fitting
- API-251-1114 4" dia. Bulkhead fitting
- API-251-1082 6" dia. Bulkhead fitting

# Filters



STA-05-221

## MULTIMEDIA FILTERS

### STA-RITE SYSTEM 3 FILTERS

Dura-Glas tank construction. System offers interchange-ability of filter media. Posi-lock clamping system makes maintenance easy. Available in high rate sand, diatomaceous earth and cartridge filter styles. 2" tank port size. Backwash valve and media extra. **NSF Listed.**

#### STA-05-XXXX

Item	Filter Media	Filter Area Sq. Ft.	Tank Diameter
221	Sand	2.4	21"
222	Sand	3.4	25"
219	D.E.	37	21"
220	D.E.	53	25"
223	Cartridge	300	21"
224	Cartridge	450	25"



System 3 Cartridge Filter



System 3 DE Filter



System 3 Sand Filter



PAC-05-142

## HIGH RATE SAND FILTERS


**PENTAIR TRITON FILTERS** — Patented one-piece fiberglass tank with UV protected surface. Top loading with swing-away diffuser for instant access to sand bed. Available with 2" threaded or 3" flanged tank ports. TR 140C / TR 100C commercial models have larger 8" opening, 3" flanged connections, and 2" drain. Tandem plumbing kits and automatic backwash controls available. Backwash valve and media extra. **NSF Listed.**

#### PAC-05-XXXX

Item	Model	Filter Area Sq. Ft.	Tank Dia.	Color	Tank Port Size
344	TR 40	1.92	19"	Almond	2"
345	TR 50	2.46	21"	Almond	2"
351	TR 60	3.14	24"	Almond	2"
142	TR 100	4.91	30"	Almond	2"
346	TR 140	7.06	36"	Almond	2"
346	TR 100C	4.91	30"	Almond	2"
708	TR 140C	7.06	36"	Almond	2"
298	TR 100 C-3	4.91	30"	Black	3"
299	TR 140 C-3	7.06	36"	Black	3"



PAC-05-299



## CARTRIDGE FILTERS

### PENTAIR CLEAN & CLEAR FILTERS

Durable FRP tank with union connections and coreless cartridge for easy cleaning. 2" tank ports with 1" drain and wash out opening. 15 1/2" diameter tank, for tight installations. **NSF Listed.**

#### PAC-05-XXXX

Item	Model Number	Filter Area Sq. Ft.	Tank Diameter	Tank Port Size
500	CC 50	50	15 1/2"	2"
501	CC 75	75	15 1/2"	2"
502	CC 100	100	15 1/2"	2"
503	CC 150	150	15 1/2"	2"
504	CC 200	200	15 1/2"	2"



PAC-05-8592

**PENTAIR QUAD DE FILTERS** — DE filter uses four removable DE cartridges for greater dirt trapping capacity. FRP filter tank for long life. Backwash valve ordered separately. **NSF Listed.**

#### PAC-05-XXXX

Item	Model	Filter Area Sq. Ft.	Tank Diameter	Tank Port Size
8592	DE 60	60	21.5"	2"
8593	DE 80	80	21.5"	2"
8594	DE 100	100	21.5"	2"



HAY-05-363

**HAYWARD HCF SERIES CARTRIDGE FILTER** — The Dual Quad-Cluster commercial HCF7030C cartridge filter system features 700 sq ft. of filter area providing heavy-duty, dirt-holding capacity and extra-long filter cycles reduce operation costs and enhance the eco-friendliness of the facility by saving thousands of gallons of carefully-balanced, heated pool water per month through the elimination of backwashing. Ideal for new construction or retrofit, the HCF7030C is able to accommodate commercial flow rates to 150 GPM. The filter exterior is molded from a glass reinforced copolymer material, capable of meeting the rigorous demands of the commercial environment. 700 sq. ft. of high performance filter media. Easy access to eight compact cartridges for fast, manageable cleaning. Effective particulate removal of 10-20 microns vs. 20-40 microns with sand 2" or 2 1/2" connections with full 2in internal piping. Noryl™ bulkhead fittings for extra strength and heat resistance. Full-Size 1 1/2" integral drain providing easy access and fast clean-out and flushing. Heavy-duty, tamper-proof clamp securely fastens tank top and bottom and combination pressure and filter cleaning cycle indicator gauge. Determined by pump size and piping system hydraulics, 2 1/2" piping is recommended for flow rates equal to or greater than 90 GPM. Hayward doesn't recommend flow rates above 150 GPM. **NSF Listed**

Filter Area Sq. Ft	Design Flow Rate	Tank Diameter	Tank Port Size
700	*150 GPM	26"	2.5"



**HAYWARD SWIMCLEAR CARTRIDGE FILTER** — Provides the most energy efficient flow and saves up to 2,500 gallons of water per year by eliminating the need to backwash. SwimClear filters offer a choice of 325, 425, and 525 sq. ft. of heavy duty dirt holding capacity and extra-long filter cycle. 24" tank diameter, and 2.5" tank port size. **NSF Listed.**

HAY-05-XXX

Item	Filter Area Sq. Ft	Design Flow Rate
HAY-05-360	325	122 GPM
HAY-05-361	425	150 GPM
HAY-05-362	525	150 GPM



STA-06-273



STA-06-3053

### BACKWASH VALVES

#### STA-RITE BACKWASH VALVES

- STA-06-3053 2" ABS Unirtol valve
- STA-06-273 2" Multiport Rotary valve
- STA-06-275 2" Multiport Rotary valve



PAC-06-230 PAC-06-3064 PRA-06-238

#### PENTAIR BACKWASH VALVES

- PAC-06-3064 2" PVC slide valve, D.E. / Sand
  - PAC-06-230 2" Multiport valve, D.E.
  - PAC-06-229 2" Multiport valve, D.E. / Sand
  - PAC-06-245 2" Hi Flow valve, D.E. / Sand
  - PAC-06-244 2" Hi Flow valve, D.E.
  - PAC-051-2993 2" adapter kit, threaded
- PRAHER BACKWASH VALVES**
- PRA-06-238 3" SM Multiport Valve for C-3



HAR-60-289

### FILTER CARTRIDGES

#### REPLACEMENT FILTER CARTRIDGES

Replacement polyester cartridges for cartridge filters. Many other sizes available.

- HAR-60-289 Harmsco 9 3/4" x 2 3/4", 6 sq. ft.
- HAR-06-260 Harmsco 9 5/8" x 7 3/4", 55 sq. ft.
- HAR-06-261 Harmsco 19 1/2" x 7 3/4", 105 sq. ft.
- HAR-06-262 Harmsco 29 1/16" x 7 3/4", 155 sq. ft.



STA-05-227  
STA-05-228

- STA-05-225 Sta-Rite System 3, 100 sq. ft.
- STA-05-226 Sta-Rite System 3, 200 sq. ft.
- STA-05-227 Sta-Rite System 3, 191 sq. ft.
- STA-05-228 Sta-Rite System 3, 259 sq. ft.



- HAY-051-1212 HCF Cartridges - 350 sq. ft., 4 pk
- HAY-051-7058 Swim Clear Cartridges - 325 sq. ft., 4 pk
- HAY-051-7057 Swim Clear Cartridges - 425 sq. ft., 4 pk
- HAY-051-7056 Swim Clear Cartridges - 525 sq. ft., 4 pk



# Heaters



**RAYPAK DIGITAL ASME HEATERS**  
 Low NO<sub>x</sub> with electronic ignition and digital LCD temperature control. Glass lined Cast Iron headers with either Cupro-Nickel or Copper heat exchangers. Includes outdoor top. Indoor top ordered separately. Natural gas, not available for propane. **3 Year Limited Warranty.**



RAY-15-621

## LOW NOX POOL HEATERS

### RAYPAK HI DELTA POOL HEATERS

85% thermal efficiency with sealed combustion chamber and hot surface ignition, with remote sensing. Ultra-low NO<sub>x</sub> (less than 20 ppm) with bronze headers, cupro-nickel and bronze waterways. Unitherm governor provides condensation free operation. Available in natural gas or propane and can be installed indoors or outdoors, specify. Includes: Cal Code. Easy installation requires only 1" clearance. Units are stackable and require small vent sizes out the top or the back. Vent caps, other options and rack systems also available at additional cost. Contact us for requirements on more than 3,000 feet above sea level. Specify State Code Requirements. **ASME Certified.**

#### RAY-15-XXXX

BTU/Hr. Input	Natural Gas	Propane
300,000	8502	8503
399,000	318	8504
500,000	611	622
650,000	612	623
750,000	613	624
900,000	614	625
990,000	615	626
1,260,000	616	627
1,530,000	617	628
1,800,000	618	629
1,999,000	619	-
2,070,000	620	630
2,340,000	621	631



HAY-15-723

### HAYWARD UNIVERSAL H-SERIES

Designed with "totally managed" water flow, Universal H-Series heaters save energy (and money) by reducing pump run time. Their low NO<sub>x</sub> emissions meet air quality standards in all low-NO<sub>x</sub> areas, so you can rest easy knowing their environmental impact is low. **3 Year Limited Warranty.**

#### HAY-15-XXX

BTU/Hr. Input	Natural Gas	Propane
250,000	723	725
400,000	722	724
500,000	745	746



### LOCHINVAR ENERGYRITE HEATERS

ASME Certified. 3 year Pool Heat Exchanger Limited Warranty. Propane models also available.

#### LOC-15-XXX

BTU/Hr. Input	Natural Gas	Propane
199,999	423	435
250,000	416	436
399,999	421	433

BTU/Hr. Input	Natural Gas	Indoor Stack Top
<b>Copper</b>		
199,500	RAY-15-0287	RHM-151-9838
266,000	RAY-15-0288	RHM-151-9839
332,500	RAY-15-0289	RHM-151-9840
399,000	RAY-15-0290	RHM-151-9841
<b>Cupro-Nickel</b>		
199,500	RAY-15-0318	RHM-151-9838
266,000	RAY-15-0319	RHM-151-9839
332,500	RAY-15-0320	RHM-151-9840
399,000	RAY-15-0321	RHM-1519841



RAY-15-1778

### RAYPAK PROFESSIONAL X94 HEATERS

Designed specifically for commercial properties such as apartments, condos, hotels, motels, schools, parks, community and high-end private pools. The Raypak Professional series pool heater provides a digital, low NO<sub>x</sub>, condensing pool heater. 399,00 BTU input that produces 94% efficiency with ASME Stainless Steel Marine Grade Heat Exchanger and Stainless Steel headers. Specially engineered for corrosion resistance. Designed for durability and can be installed indoors or outdoors. Requires Cat IV venting: PVC, CPVC, Dura-Vent Polypro, or stainless steel. 2" PVC inlet/outlet connection with 1/2" PVC drain port. Available in natural gas or propane. 115 V/60 Hz power supply. **3 Year Commercial Warranty.**

RAY-15-1778 399,000 BTU, natural gas

RAY-15-1779 399,000 BTU, propane





**STA-15-504**

**STA-RITE MAX-E-THERM POOL HEATERS** — The Max-E-Therm heater offers you the latest advances from Sta-Rite®: a rustproof exterior, smart electronics and increased energy efficiency. Specially designed fueling and ignition process permits faster warming of your pool and spa. Dura-Glas® Housing will not corrode and stands tough against harsh weather. The Eco Select brand identifies our "greenest" and most efficient equipment choices. Max-E-Therm heaters offer best-in-class energy efficiency.\* Plus, they are certified for low NOx emissions, making them eco-friendly favorites. **2 Year Limited Warranty.**

**STA-15-XXXX**

BTU/Hr. Input	Natural Gas			Propane	
	Standard	HD	ASME	Standard	ASME
200,000	500	510	▪	501	▪
333,000	502	509	▪	503	▪
400,000	504	508	0763	505	0764



**PUR-15-2001**

**HIGH EFFICIENCY HEATERS**

**PENTAIR ETI400 HEATERS** — The new ETi™ 400 High-Efficiency Heater brings you the TitanTough Heat Exchanger, the longest-lasting heat exchanger ever built. It's the first direct-fire heat exchanger in the industry with titanium designed to stand up to the harshest water conditions. The TitanTough heat exchanger leads to another first: 96% thermal efficiency, the highest of any pool heater. So, you heat your pool for less and reduce emissions—all in a heater that's ultra quiet in operation and easy to install, both indoors and out.

**3 Year Commercial Warranty.**

- PUR-15-2001** ETi 400 High Efficiency Heater
- PUR-15-2001** Indoor Direct Air Intake Kit
- PUR-151-9904** Condensate Neutralizer Kit



**JANDY JXI POOL HEATER** — Ultra compact design is 38% lighter and uses a 28% smaller footprint than competitor's models. 83-84% efficiency with Low NOx emissions. VersaFlo By-Pass Kit extends exchanger life when not firing. Not available on ASME heaters. ASME certified heaters also available. **2 Year Limited Warranty.**

**LAR-15-XXX**

BTU/Hr. Input	Natural Gas	Propane	Type
200,000	512	514	Copper
260,000	505	506	Copper
399,000	500	501	Copper
399,000	836	837	Cupro-Nickel
VersaFlo By-Pass Kit		<b>LAR-151-3265</b>	
<b>ASME Certified</b>			
260,000	902	903	Copper
400,000	900	901	Copper



**CHC-15-522**

**ELECTRIC HEATERS**

**COMMERCIAL ELECTRIC POOL/SPA HEATERS** — Medium duty pool and spa heaters with built-in flow switch. Operating range: 20-80 GPM. Includes: Incoly heating elements, stainless tank, digital thermostat, manual reset hi-limit switch, flow switch, and element, flow and high temp "on" lights. 24/30 KW units (CPH Series) with 1/2" male NPT connections. 36 KW and higher units (PHS Series) have 2" male NPT connections. UL Listed for indoor/outdoor installation.

**CPH SERIES - CHC-15-XXXX**

Voltage	24 KW	30 KW
240 volt/1 phase	498	500
208 volt/3 phase	516	511
240 volt/3 phase	8503	528
480 volt/3 phase	510	489

**PHS SERIES - CHC-15-XXXX**

Voltage	36 KW	45 KW	54 KW	57 KW
240V/1 phase	501	496	509	8500
208V/3 phase	515	522	8501	488
240V/3 phase	8504	8505	8506	8507
480V/3 phase	514	490	523	486



**ACL-15-1000**

**WATER CHILLER**

**TROPICOOOL WATER CHILLER** — The TropiCool Water Chiller is designed to lower the temperature of your swimming pool water. Consistent performance regardless of humidity. Titanium heat exchanger. Ability to chill as low as 45° F for cold plunge pools. **2 Year Limited Warranty.**

- ACL-15-4506** TC 500
- ACL-15-1000** TC1000

Feature	TC500	TC1000
Voltage/Hz/Phase	208-230/60/1	208-230/60/1
Minimum Circuit Ampacity	26.1	40
Max Fuse Size	45	60
Water Flow Min/Max (gpm)	30/60	30/70
Physical Dimensions	36"x24"x31"	38"x28"x31"
Shipping Weight (lbs.)	215	293



**PSL-40-0803**



**PSL-40-0801**



**PSL-40-0810**

**WATER THERMOMETERS**

**THERMOMETER** — Convertible top allows thermometer to be used as floating unit or tethered with 36" lanyard. 8" injection molded plastic body with shatter proof lens.

**PSL-40-0803**

**ECONOMY THERMOMETER** — 10" long plastic case thermometer with 12" lanyard.

**PSL-40-0801**

**DELUXE THERMOMETER** — 7" long solid brass thermometer with chrome finish, magnifying plastic lens, and 36" lanyard.

**PSL-40-0810**

**SKIMMER LID THERMOMETER**

Round skimmer lid with built-in 3" diameter thermometer. Specify skimmer manufacturer when ordering.

**LET-251-6486**

# Automatic Vacuums



### Complete pool scanning

To ensure thorough cleaning, your Dolphin cleaner is equipped with built in software that systematically cleans your entire pool regardless of your pool's shape or surface.



### Gyro XL scanning

Unique gyroscopic system delivers accurate and effective scanning for systematic cleaning along the entire pool.



### CleverClean™ system

The unique CleverClean Scanning system, powered by intelligent software, helps the robot optimize its scanning capabilities by learning the various parameters of the pool and adjusting its patterns accordingly. This guarantees complete coverage of any type of pool during each cleaning cycle, including shaped pools and pools with obstacles.



### Dual-filtration porosity options

Covers all pool conditions from rough debris to fine dust particles: Ultra-fine filter collects fine dust particles and net for leaves and rough debris.



### Top-access

The filter cartridges system is accessed from the top of the robot for easy and convenient cleaning (C4 and C3 only).



MAY-20-1112



MAY-20-1072



MAY-20-0999



MAY-20-1071

Feature	Dolphin C7	Dolphin C5	Dolphin C4	Dolphin C3
Item	MAY-20-1112	MAY-20-1072	MAY-20-1071	MAY-20-0999
Pool Size	up to 105'	up to 82'	up to 60'	up to 50'
Vacuum Width	24"	16"	16"	16"
Cycle Time	4, 5, or 6 hours	4,6 or 8 hours	1.5, 2.5 or 3.5 hours	1 or 2.5 hours
GPH	8,982	4,233	4,233	4,233
Cord Length	115'	98'	78'	60'
Drive Motor	2	2	2	1
Pump	1	1	1	1
Digital Power Supply	No	LED w/Full Bag Indicator	Digital	Digital
Cable Swivel	No	Yes	Yes	Yes
Remote	PRO	PRO	PRO	Basic
Cart	Yes	Yes	Yes	Yes
Floor/Wall/Waterline	Floor	Floor, Wall, Adjustable	Floor, Wall, Waterline	Floor, Wall, Waterline
Warranty	2 Year	2 Year	2 Year	2 Year
Zero Depth Sensor	Low Depth Shut Off	included	included	included
Weight (Shipping)	53 lbs.	55 lbs.	55 lbs.	55 lbs.
Combined Brush	.	included	included	included
Filtration Type	Top Load Cartridge	Bag	Top Load Cartridge	Top Load Cartridge
Filter Bag or Cartridge	MAY-201-0083	MAY-201-0015	MAY-201-3199 (pkg. of 4)	MAY-201-3199 (pkg. of 4)
PVC Brush	MAY-201-0084	MAY-201-0025	MAY-201-3207 (set of 4)	MAY-201-3220 (pair)
Wonder Brush Ring	.	MAY-201-3217 (set of 4)	MAY-201-3217 (set of 4)	MAY-201-3217 (set of 4)
Bottom Lid	.	MAY-201-0019	.	.
Tracks	MAY-201-0081	MAY-201-3211 (pair)	MAY-201-3211 (pair)	MAY-201-3211 (pair)



## PORTABLE VACUUMS

**CYCLONE PORTABLE VACUUM** — 1 HP portable vacuum system with 50 ft. cord. Mounted on a powder coated portable cart, with non-metallic, chemical resistant wheels. 75 sq. ft. cartridge filter with Multi-Cyclone debris separator, which extends the time between filter cleanings 4-6 times. 110 volt with 20 amp GFCI.

**WTU-20-0001**



**HPP-20-103**

**HAMMER-HEAD VACUUMS** — Finally a vacuum that is perfect for quick fixes and efficiently handles your big jobs. Sets up faster than conventional vacuum systems, saving you time and money. No installation or priming required and the unit runs independently of the pool circulation system. Head design provides 30 lb. thrust resulting in 16,000 GPH. Two sizes available: **Resort 30** - with 30" wide vacuum head and the **Resort 21** - with 21" wide vacuum head. Both units include 60' cord, battery charger, cart and 2 debris bags. Pole and 12 volt deep cycle marine battery not included. **1 Year Warranty.**

**HPP-20-103** Hammer-Head Resort 30

**HPP-20-104** Hammer-Head Resort 21

**HPP-201-2053** Hammer-Head Smart Charger



**WTU-20-8501**

## HAND HELD VACUUMS

### POOL BLASTER PRO VACUUMS

Battery powered hand-held vacuums can attach to a pole for bigger jobs. Pole ordered separately. Switch and go battery insures no job is left undone. Available in three models: **PRO 1500** and **PRO 900** are for larger vacuuming requirements. **2 Year Warranty.**



**WTL-20-0989**

### POOL BLASTER PRECISION 2.0Li VACUUM

Having the right tools to do the job will save you time, money and unnecessary headaches. The Precision 2.0Li works on any surface: concrete, tile, vinyl, or fiberglass. Simply attach the Precision 2.0Li to any standard telescopic pool pole, turn the unit on, and you are ready to vacuum. Its lightweight, no fuss design is free from hoses, external pumps and electrical cords. The durable design and powerful suction makes the Precision 2.0Li a perfect pool cleaning tool. Perfect for overall pool vacuuming including: steps, swim outs, benches, spillover spas, negative edge troughs, tanning ledges and fountains. **2 Year Warranty.**

## POOL BLASTER VACUUMS

Features	PRO 1500	PRO 900	PRECISION 2.0 Li
Item	<b>WTL-20-8500</b>	<b>WTL-20-8501</b>	<b>WTL-20-0989</b>
Vacuum Head Width	19"	15"	15"
Throat	2"	2"	2"
Rechargeable Battery	2 - 60 min.	2 - 60 min.	2 - 60 min.

## POOL BLASTER REPLACEMENT FILTER BAGS

Description	PRO 1500	PRO 900	PRECISION 2.0 Li
All-Purpose Filter Bag	<b>WTL-201-8117</b>	<b>WTL-201-8117</b>	<b>WTL-201-8124</b>
Sand and Silt Filter Bag	<b>WTL-201-8119</b>	<b>WTL-201-8119</b>	<b>WTL-201-8125</b>
Xtreme Multi-Layer Micro Filter Bag	<b>WTL-201-8118</b>	<b>WTL-201-8118</b>	<b>WTL-201-8126</b>

## POOL BLASTER REPLACEMENT PARTS

Description	PRO 1500	PRO 900	PRECISION 2.0 Li
Battery	<b>WTL-201-9503</b>	<b>WTL-201-9503</b>	<b>WTL-201-9503</b>
Motor Box Assembly	<b>WTL-201-9506</b>	<b>WTL-201-9506</b>	<b>WTL-201-8127</b>
Charger	<b>WTL-201-9504</b>	<b>WTL-201-9504</b>	<b>WTL-201-8129</b>
Wheels	<b>WTL-201-9509 (set of 4)</b>	<b>WTL-201-9510 (set of 11)</b>	.
Brushes	<b>WTL-201-9508 (set of 6)</b>	<b>WTL-201-9508 (set of 6)</b>	.

# Cleaning



## VACUUM HEADS POOLSTYLE VACUUM HEADS

Commercial vacuum head with adjustable non-skid Urethane wheels with stainless steel ball bearings and hardware. Metal swivel handle with extended pin for steering support. Hose swivel cuff fits 1-1/2" or 2" hose. Flex strips under vacuum head maximize lateral suction. Available in 14" and 22" widths.

- PSL-40-0345** 14" Flex Vacuum Head
- PSL-40-0346** 22" Flex Vacuum Head



## SWIVEL WHEEL VACUUM HEAD

Commercial grade pool vacuum heads with swivel wheels that allow the vacuum to be moved in any direction for ease in cleaning. Will fit any curvature of the pool. Fully enclosed weights help keep the vacuum head on the pool bottom. Fits both 2" or 1 1/2" vacuum hose.

- RAI-40-2123** 19" Swivel



## VACUUM HOSES PROFESSIONAL GRADE VACUUM HOSE

Commercial grade floating hose. Excellent flexibility makes it easy to handle. UV resistant. Available in 1 1/2" and 2" diameter sizes. Custom lengths available — inquire.

### PSL-40-XXXX

Hose Length	1 1/2" Dia.	2" Dia.
35'	<b>8535</b>	-
50'	<b>8550</b>	<b>8650</b>
75'	<b>8575</b>	<b>8675</b>
100'	<b>8599</b>	<b>8699</b>



## LEAF EATER

**POOLSTYLE LEAF EATER** — Weighted body with bearing wheels, metal swivel handle and extra-tall fine mesh bag.

- PSL-40-0364** Leaf Eater, Hose Attachment



## BRUSHES CURVED END BRUSHES

Item	Size
<b>Nylon Bristles</b>	
<b>ABB-40-2028</b>	36"
<b>PSL-40-0355</b>	24"
<b>PSL-40-0343</b>	18"
<b>Combo Brushes- SS/Nylon Bristles</b>	
<b>PSL-40-0354</b>	24"
<b>PSL-40-0357</b>	18"
<b>Stainless Steel Algae Brush</b>	
<b>RAI-40-2102</b>	18"

## STRAIGHT END BRUSHES

Item	Size
<b>Stainless Steel Algae Brush</b>	
<b>RAI-40-2063</b>	10"
<b>RAI-40-2062</b>	5 1/2"



**TILE & ACID BRUSHES** — Tile & acid wash brushes with blue plastic bristles. 2 7/8" wide. Durable hardwood back with 5' pole.

- LNC-42-8511** 5"
- LNC-40-8565** 10"



- ABB-40-2055**

**CORNER BRUSH** — Perfect for cleaning hard to reach places. Staggered bristle pattern allows for better brushing action. Durable metal handle. Available in synthetic bristles or combination synthetic and stainless steel bristles.

- ABB-40-2055** Corner Brush, Synthetic
- ABB-40-2084** Corner Brush, Combination



**MINI SCRUB BRUSH** — All purpose scrub brush w/ poly bristles set into molded hand grip.


- PSL-40-0195**



- RAI-40-2134**

**VACUUM HOSE HANGER**  
**VACUUM HOSE HANGER** — Cyclolac, pair.

- RAI-40-2134**



## POLES

Length	Aluminum	Fiberglass
12'	SKM-40-2769	RAI-40-2174
16'	SKM-40-2770	RAI-40-2045
Telescopic Poles		
6' - 12'	.	RAI-40-2171
8' - 16'	RAI-40-2114	RAI-40-2076
12' - 24'	SKM-40-2786	RAI-40-2076
16' - 32'	SKM-40-2787	.



## TELEPOLES

Item	Description	Size
SKM-40-2791	Dual Lock Telepole	6'-18'
SMR-40-4134	Lever Lock Telepole	8'-16'
SKM-40-2785	HD Pro Inner Cam Telepole	8'-16'



SKM-40-2776

SKM-40-2710

## SKIMMERS & LEAF RAKES

### DURAPRO SKIMMER & LEAF RAKE

An economical alternative to the Deluxe line of skimmers & leaf rakes with half the weight. Plated steel handle and rim with protective tubing. High Capacity model, with pocket stays to keep the pocket open, allowing debris to enter and empty easily.

Item	Style	Pocket Depth
SKM-40-2776	Skimmer	8"
SKM-40-2710	Leaf Rake	10"
SKM-40-2795	High Capacity Leaf Rake	16"



SKM-40-2795

**QUICK SHIP POLES** — .042" wall thickness aluminum pole for use with brushes or life hook. Quick ship poles are built in sections and can be shipped via UPS.

Length	Sections	Aluminum
16'	2 x 8'	SKM-40-2216
24'	3 x 8'	SKM-40-2781


### QUICK SHIP TELESCOPIC POLES

Nylon twist-lock assembly secures sections in place. Quick ship poles are built in sections and can be shipped via UPS.

Length	Sections	Aluminum	Fiberglass
6' - 12'	2 x 6'	.	RAI-40-2171
8' - 16'	2 x 8'	.	RAI-40-2076
9' - 31'	4 x 8'	SKM-40-2793	.

**QUICK SHIP DUALY POLES** — New .042" wall thickness aluminum poles with dual lock assemblies with twice the locking capabilities for heavy duty jobs. Quick Ship Dually poles are built in sections and can be shipped via UPS.

Length	Sections	Aluminum
8' - 16'	2' - 8'	SKM-40-2755
6' - 18'	3' - 6'	SKM-40-2791
8' - 24'	3' - 8'	SKM-40-2792



## CLEANER ACCESSORIES

**DELKIN SPRING CLIP** — Replaces nuts and bolts. Plastic spring for snap adapter handles. 3 per package.

RAI-401-4070

**BRASS WING NUT & BOLT SET** — Set of 2 bolts and nuts for attaching vacuum heads and brushes to the end of pole.

RAI-401-2000

**SPEED POLE COUPLER** — Attaches to your pole so you can quickly change to any vacuum head, brush or skimmer, without the necessity of using 2 bolts and nuts each time you change heads. Reduces the number of poles needed.

RAI-40-2130

**POLE CAPS** — White polyethylene caps protect pole ends.


RAI-40-2130 1/4" diameter

### POLE HANGERS

**POLE HANGERS** — Holds 2 poles on wall or fence. Set of 2 hangers.

RAI-40-2133 Plastic


RAI-40-2222 Aluminum




**MISSING LINX POLE HANGERS** — Plastic chain link fence pole hanger allows you to utilize your fence for easy pole storage. Holds one pole. Set of 2 hangers.

NJI-40-8500

# Maintenance Supplies



**DISCHARGE HOSE**  
**DISCHARGE HOSE** — Vinyl collapsible discharge hose. Sold in 50' rolls.  
**PSL-40-2102** 1 1/2"  
**PSL-40-2109** 2"



**DISCHARGE HOSE REEL**  
**PORTABLE DISCHARGE HOSE REEL**  
 Holds up to 85' of discharge hose. Holds both 1 1/2" and 2" discharge hose.  
**LSS-60-8500**



**VACUUM HOSE REEL**  
**VACUUM HOSE REEL** — UV stabilized polyethylene hose storage reel. Lightweight and portable. Hose stays cleaner and free from tangles. Holds up to 50' of 1 1/2" hose.  
**FER-70-6691**



**VACUUM HOSE CARRIER**  
**HOSE HUGGER** — Handy way to cope with vacuum hoses. Made of durable polypropylene and wide Hook & Loop closure. Holds up to 50' of 2" vacuum hose.  
**BNN-67-8500**



**SURFACE CLEANERS**  
**POOLSTONE CLEANING BLOCK**  
 Pumice-like cleaning block made from recycled materials. Provides chemical-free, non-toxic cleaning for hard water, mildew, and rust stains. Safe for use on pool tile, concrete, gunite and stone. **Starter Kit** includes 1 block and EZ-grip plastic handle. **Refill Pack** contains 3 PoolStone cleaning blocks for cleaning by hand or for use with EZ-grip handle. **Pole Attachment** fits on standard cleaning pole ends.

Item	Pool Blok	Size
<b>EAR-40-8501</b>	Pole Attach	9 1/2"H x 2"W x 2"D
<b>EAR-40-8502</b>	Starter Kit	2"H x 4"W x 3"D
<b>EAR-40-8500</b>	Refill Pack - 3	2"H x 4"W x 3"D
<b>EAR-40-8503</b>	Large Block	3"H x 6"W x 3"D



**POOL BLOK** — A quick way to remove stains, rust, scale and algae deposits from ceramic tile and pool surfaces. Specially treated pumice stone is pH neutral so it can be used underwater. Optional aluminum handle fits larger Pool Blok pumice stone only.

Item	Pool Blok	Size
<b>USP-40-2217</b>	Small	6" x 1 3/4"
<b>USP-40-2215</b>	Medium	6" x 3" x 3"
<b>USP-40-2220</b>	Handle	6"



**TSE-60-9700** Spa eraser  
**TSE-60-5004** Stain eraser  
**TSE-40-8500** R-Teez tile and grout eraser



**WATER REMOVERS**  
**ROL-DRI® MASTER WATER REMOVER**  
 Removes water easily from tennis courts, pool decks and patios. Non-deteriorating foam is molded directly onto the roller core for a seamless fit to ensure rapid, streakless drying. Complete with handle. 36" wide.  
**AON-35-8502** Rol-Dri® Master Water Remover  
**AON-35-8505** Repl. Master Sponge & Roller



**DECK CLEANING ACCESSORIES**  
**SQUEEGEE** — 36" wide with curved ends, moves large volume of water with greater water control. Non-marking gray blade can easily be replaced. Zinc plated, heavy duty stamped steel handle and iron frame with 5' wood pole.  
**WWG-67-1000** Squeegee  
**ABB-40-3001** Replacement 5' wood pole



## OLYMPIC POOL COATINGS

**OLYMPIC ZERON COATING SYSTEM** — This system is the longest lasting epoxy pool coating available. You can expect up to eight years of service from one application of this product. The greatest advantage of the ZERON system is that it only requires one coat. ZERON is a heavier bodied material than POXOLON 2, so it will require a little more effort in its application. Since ZERON has an extremely long life, the cost per year of service is lower than any other pool coating available. Application by roller or airless spray equipment. Recommended as an alternative to traditional pool plaster. The finished surface will stay brighter and will be easier to keep clean than a plastered pool.

**Coverage:** Approximately 125 - 150 sq ft per gallon.

- KEL-65-6009** White, Blue Ice, Blue Mist, Bikini Blue, Black- 1 Gallon  
**KEL-65-6097** Viking Blue, Spanish Blue, Sunshine Yellow, Red Pepper- 1 Gallon

**OLYMPIC POXOLON 2** — High gloss epoxy pool coating that is easy to apply and should yield up to five years of service. Easy to clean, as is the case with all epoxy pool coatings. You may use POXOLON 2 on most conventional pool surfaces with excellent results. Uncoated pool surfaces will require a prime coat to insure good adhesion. Recommended for use by pool service companies and pool operators. Use with primer on concrete, plaster, fiberglass, and metal pools. Two finish coats of POXOLON 2 are required. May be applied by either airless sprayer or roller.

**Coverage:** Approximately 225 - 250 sq ft per gallon.

- KEL-65-6208** White, Blue Ice, Blue Mist, Bikini Blue, Black- 1 Gallon  
**KEL-65-6200** Viking Blue, Spanish Blue, Sunshine Yellow, Red Pepper- 1 Gallon

**PARALON 2** — Premium-grade chlorinated rubber pool enamel. Recommended for refinishing existing chlorinated rubber coatings, it is a low sheen, rubber-base pool enamel with high water resistance. The soft satin appearance will please the most discriminating pool owner while providing economical protection for the pool surface. 2 - 3 years average service.

**Coverage:** 250 - 275 sq ft average per gallon.

- Colors:** White, Blue Ice, Blue Mist, Bikini Blue, or Black  
**KEL-65-6008** 1 Gallon

**OPTILON** — Synthetic rubber-base formula meets all of the expectations of chlorinated rubber. OPTILON can be applied to bare concrete or plaster as well as over old rubber base coatings. OPTILON also has excellent chemical resistance and color retention. 2 - 3 years average service.

**Coverage:** 250 - 275 square feet average per gallon

- Colors:** White, Blue Ice, Blue Mist, Bikini Blue, or Black  
**KEL-65-6078** White, Blue Ice, Blue Mist, Bikini Blue, Black- 1 Gallon  
**KEL-65-6328** Viking Blue, Spanish Blue- 1 Gallon

**HYDROLON** — Water-reducible acrylic enamel designed for easy application on bare smooth concrete or plaster and over an old rubber-base finish. HYDROLON can be applied to damp surfaces and has no solvent vapors. The unique properties of HYDROLON make it perfect for seasonal commercial application or for use in indoor facilities.

**Coverage:** 250 - 300 sq ft average per gallon

- Colors:** White, Blue Ice, Blue Mist, Bikini Blue, or Black  
**KEL-65-6120** 1 Gallon

## OLYMPIC COLORS



## ACCENT COLORS

Olympic offers bright designer colors which are used for painting murals, depth markings, racing lines and designs. Accent colors are available in Optilon synthetic rubber-base and Zeron and Poxolon 2 epoxy-base coatings.



**DECK-O-SEAL JOINT FILLER** — Polyurethane sealant - for cracks and behind pool coping. Available in pre-mixed cartridges for vertical surfaces and 2-part pourable grade for horizontal surfaces. Colors: white, gray, tan or redwood.

- DFC-55-3096** 11 oz. cartridge  
**DFC-55-3104** 96 oz. kit (pourable)  
**DFC-55-3088** Squeeze bottle

**DECK-O-SEAL HS-1 SL SEALANT** — A one-part, self-leveling hybrid sealant. Cures under the influence of atmospheric moisture to form a modulus sealant with excellent adhesive properties and resistance to aging and weathering.

- DFC-55-3193** Gray  
**DFC-55-3194** Tan

**DECK-O-SEAL 125** — 2-part pourable, sealing compound. For high traffic areas and submerged pool floor locations. 25% firmer than regular Deck-O-Seal. Use 2-part P/G Primer for submerged expansion joints & cracks more than 1" for maximum adhesion. 1 quart is sufficient for 5-7 gallons of sealant. Colors: white, gray, tan.

- DFC-55-8500** 94 oz. kit (pourable)  
**DFC-55-3087** P/G Primer, quart kit

**DECK-O-SEAL GUN GRADE** — 2-part sealing compound for underwater expansion joints and vertical walls. Apply with trowel or air operated caulking gun. Use with 2-part P/G Primer for submerged expansion joints and cracks of more than 1" for maximum adhesion. Use 1 quart for 5-7 gallons of sealant. Colors: white, gray or tan.

- DFC-55-3086** 96 oz. kit  
**DFC-55-3087** P/G Primer, quart kit

**FOAM SEALANT BACKER** — Polyurethane backer rod for expansion joints and between coping and cement deck.

- DFC-55-2000** ¼" diameter x 50' long  
**DFC-55-2002** ½" diameter x 50' long  
**DFC-55-2004** ¾" diameter x 50' long



## PLASTER REPAIR

**POOL PLASTER REPAIR** — Waterproof cement compound is fast setting, stronger than concrete and can be applied underwater. 2 ½ lbs. covers 32 cu. in. Color: white.

- GGT-37-8500** 10# pail

# Safety



## ROPE

**ROPE** — Polyethylene rope

Color	1/4"	3/8"	1/2"	3/4"
<b>Twisted Rope</b>				
Blue/White	SPG-42-2001	AMG-40-783	SPG-42-2002	SPG-42-2000
Yellow	ART-42-1010	ART-42-1001	ART-42-1006	ART-42-1009
White	ART-42-1007	ART-42-1011	ART-42-1013	ART-42-1008
<b>Braided Rope</b>				
Blue/White	ART-42-1000	ART-42-1005	.	.
Yellow	ART-42-1015	ART-42-1012	ART-42-1016	.
White	ART-42-1004	ART-42-1002	ART-42-1014	.



## FLOATS

**POLYETHYLENE FLOATS** — Colors: Solid red, blue, yellow, white, or combination of red and white or blue and white, specify.

Item	Polyethylene Float	Fits Rope
RAI-40-2104	3" x 5"	3/8"
RAI-40-2105	5" x 9"	3/4"

Item	Float Keepers	Fits Rope
RAI-451-5011	3" x 5"	3/8"
RAI-401-4047	5" x 9"	3/4"

**LOK-ON ROPE FLOATS** — Tough plastic outer shell with solid core. Provides maximum durability. Use 1 Rope-lok per float to secure float in place. Colors: blue and white, yellow and white or red and white, specify.

Item	Lok-on Float	Fits Rope
JIM-42-8501	3" x 5"	3/8"
JIM-42-1003	5" x 9"	3/4"
JIM-42-8502	8" x 14"	1"
JIM-42-8506	Rope-Lok	Fits All Sizes

**HANDI-LOCK FLOATS** — Self-locking floats secure onto rope with a patented twist-lock design. Eliminates floats from moving on your rope. Colors: Alternating blue and white or red and white, specify.

Item	Handi-Lock Floats	Fits Rope
AMG-40-2221	3" x 5"	3/8"
AMG-40-2216	5" x 9"	3/4"



## ROPE HOOKS & CLAMPS

**CPB ROPE HOOKS** — CPB two-piece sure grip rope hook.  
**STB-35-8501** 3/8"  
**STB-35-3961** 1/2"  
**STB-35-8502** 3/4"

**BRASS SWIVEL ROPE HOOK** — Heavy duty, brass rope hook for 1/4" or 3/8" rope.  
**KEM-42-1092**



## ALUMINUM RESCUE POLES

**ALUMINUM RESCUE POLES** — Heavy duty extruded aluminum rescue pole.  
**SKM-40-2770** 16'  
**RAI-40-2112** 12'

## FIBERGLASS RESCUE POLES

**FIBERGLASS RESCUE POLES** — Rigid fiberglass construction with UV protective coating to prevent splintering with age. Straight fiberglass.  
**SKM-40-2800** 16'  
**SKM-40-2799** 12'

**POLE CAPS** — White polyethylene caps protect pole ends.  
**RAI-40-2130** 1/4" diameter



## LIFE HOOKS

**LIFE HOOK** — Sturdy anodized aluminum with double crook design. Available as Life Hook or Life Hook with 16' pole and attachments.  
**RAI-40-2132** Life Hook



## RING BUOYS

**RING BUOYS** — U.S. Coast Guard approved. Sof-Tex surface resists weather and temperature extremes. Color: white.  
**PSL-42-1000** 20" diameter  
**PSL-42-1001** 24" diameter  
**PSL-42-1030** 30" diameter



JIM-42-1007

## RING BUOY ACCESSORIES

**RING BUOY SAFETY STATION**  
 Plastic protective cabinet with non-breakable polycarbonate window for convenient ring buoy mounting. Station encloses 20", 24", or 30" ring buoy, plus a 60' heaving line kit. Includes: cabinet and 60' heaving line kit. Ring buoy ordered separately.  
**JIM-42-8505** 20"  
**JIM-42-1007** 24"  
**JIM-42-1009** 30"



## RING BUOY MOUNTING HOOK

Stainless steel hook with stainless steel screws.  
**PSL-42-2016**



**HEAVING LINE KIT** — Includes 1/4" heaving line, with foot float & aluminum mounting hook.  
**PSL-42-1008** 30' kit  
**PSL-42-1007** 60' kit  
**JIM-42-8508** 90' kit





## SAFETY VESTS

**NYLON SAFETY VESTS** — The Kemp USA Universal Life Vest features three adjustable belts with a weather resistant polypropylene fabric. The vest is highly resistant to fading and strength loss from UV exposure. The Infant and Child sizes include an adjustable between the leg strap for added safety. US Coast Guard Approved Type III Life Jacket/Personal Flotation Device (PFD). Colors: red or blue - specify.

Size	Swim Vests
Adult (over 90 lbs.)	<b>KEM-42-8523</b>
Youth (50-90 lbs.)	<b>KEM-42-8525</b>
Child (30-50 lbs.)	<b>KEM-42-8524</b>
Infant Heads-up (<50 lbs.)	<b>KEM-42-8526</b>



**KEM-42-1039**

## FIRST AID KITS

**KEMP FIRST AID KITS** — The Kemp USA 25 Person First Aid Kit meets many state codes. It includes all necessities such as adhesive strips, tape, first-aid cream, gauze, compresses, gloves, iodine swabs, insect sting swabs, ice packs, absorbent compress, eye dressing, etc. and contains 227 items. The Kemp USA 50 Person First Aid Kit is perfect for the commercial pool operator. This has all the required items and comes with 327 items.

**KEM-42-1039** 24 Unit First Aid Kit, 25 People  
**KEM-42-1055** 36 Unit First Aid Kit, 50 People



## CHEMICAL HANDLING

**RESPIRATORS** — Dual cartridge system with low-profile design and a speech diaphragm for clear communication. **Full Face Respirator** features wide angle lens and ergonomic design. Includes adapter. Specify size: "comfort seal" (fits 99% of faces) small or extra large. **Half-Mask Respirator** leaves plenty of room for protective eyewear. Design features dual cartridges that are out of the line of sight. One-point adjustment for a quick secure fit. Specify size: small, small/medium, medium/large or large. Filter cartridges ordered separately, 2 per pkg.

Style	Cross Braced
<b>Full Face Respirator</b>	
Large	<b>AGS-42-1079</b>
Medium	<b>AGS-42-1080</b>
Small	<b>AGS-42-1081</b>
<b>Half Face Respirator</b>	
Large	<b>AGS-42-1082</b>
Medium	<b>AGS-42-1083</b>
Small	<b>AGS-42-1084</b>
<b>Respiratory Cartridges</b>	
Organic Vapor/Acid Gas	<b>AGS-42-1085</b>
Organic Vapor	<b>AGS-42-1086</b>
Acid Gas	<b>AGS-42-1087</b>
Organic Vapor/Acid Gas	<b>AGS-42-1088</b>



**WWG-42-8502**



**WWG-42-8500**

**SAFETY GOGGLE** — Soft vinyl goggle with molded vents to allow air in and keep splash out. Color: tinted green.

**WWG-42-8502**

**FULL FACE SHIELD** — Protects against chemical splash from brow to underneath chin. Window measures 7" x 19".

**WWG-42-8500**



**APRON** — Chemical resistant apron provides protection from chemical splash. Size: 35" x 45".  
**AGS-42-1060**

## CHEMICAL RESISTANT GLOVES

Natural hand contour with non-slip grip provides superior feel. Duplex knit lined, neoprene construction. Specify size: S, M, L, XL.

**AGS-42-1089** Small Black Latex  
**AGS-42-1090** Medium Black Latex  
**AGS-42-1091** Large Black Latex  
**AGS-42-1092** XL Black Latex



**MMM-42-8511**

## SAFETY STRIPS

**PRE-CUT SAFETY STRIPS** — Medium texture peel-and-stick safety strips combat slippery areas. Primer and edge sealer add extra bonding power. Primer coverage: 35 sq. ft. per quart. Edge sealer tube seals 135 lineal feet of edging. Color: black.

**MMM-42-8511** ¾" x 24", pkg. of 50  
**WOO-65-8502** 6" x 24", pkg. of 50  
**MMM-42-8500** 5½" x 5½", pkg. of 50  
**MMM-42-8502** Primer, quart  
**MMM-42-8503** Edge sealer tube, 5 oz.

# Signs

**WARNING: NO LIFEGUARD ON DUTY**  
CHILDREN UNDER THE AGE OF 14 SHALL NOT USE POOL WITHOUT A PARENT OR ADULT GUARDIAN IN ATTENDANCE

**CAUTION**  
1. ELDERLY PERSONS, PREGNANT WOMEN, INFANTS AND THOSE WITH HEALTH CONDITIONS REQUIRING MEDICAL CARE SHOULD CONSULT WITH A PHYSICIAN BEFORE ENTERING THE SPA.  
2. UNSUPERVISED USE BY CHILDREN UNDER THE AGE OF 14 IS PROHIBITED.  
3. HOT WATER IMMERSION MAY INCREASE THE INFLUENCE OF ALCOHOL, NARCOTICS, DRUGS OR MEDICINES AND LEAD TO SERIOUS CONSEQUENCES AND IS NOT RECOMMENDED.  
4. DO NOT USE ALONE.  
5. LONG EXPOSURE MAY RESULT IN HYPERTHERMIA, NAUSEA, DIZZINESS OR FAINING.  
6. USE RESTROOM AND SHOWER BEFORE ENTERING POOL OR SPA.

**CAPACITY POOL SPA**

**NO DIVING POOL/SPA HOURS**

**EMERGENCY SHUT OFF SWITCH**  
PERSONS HAVING CURRENTLY ACTIVE DIARRHEA OR WHO HAVE HAD ACTIVE DIARRHEA WITHIN THE PREVIOUS 14 DAYS SHALL NOT BE ALLOWED TO ENTER THE POOL WATER.  
This sign should be posted at the ENTRANCE to the pool.

**KEEP CLOSED**  
This sign should be posted on the GATE OR DOOR to the pool.

**EMERGENCY SHUT OFF SWITCH** NSS-42-4008

Post this sign near the shut off switch for the spa.

## SAFETY SIGNS

**UNIVERSAL SAFETY SIGN** — Pool/spa caution, no diving, pool/spa capacity, artificial respiration, 911, no lifeguard and pool/spa rules. California Compliant sign adds Emergency shut off, Diarrhea, and Keep Closed sign.

**NSS-42-4008** California Universal Sign, 41" x 48"  
**TFX-42-7350** Universal Sign, 40" x 48"

**POOL CAPACITY PERSONS**

**POOL CAPACITY SIGN** — Size: 12" x 18"  
**NSS-42-3772**

**SPA CAPACITY PERSONS**

**SPA CAPACITY SIGN** — Size: 12" x 18"  
**NSS-42-3773**

**PERFORM CPR YES YOU CAN!**  
**BASIC LIFE SUPPORT FOR ADULTS AND CHILDREN (AGES 1-8)**  
**BASIC LIFE SUPPORT FOR INFANTS (LESS THAN 1 YEAR OLD)**

ATY-42-8543

**RESCUE BREATHING AND CHOKING SIGN** — Features current American Red Cross CPR Guidelines. Size: 24" x 30".  
**ATY-42-8543** English  
**ATY-42-8542** Spanish

**WARNING NO LIFEGUARD ON DUTY**  
CHILDREN UNDER THE AGE OF 14 SHALL NOT USE POOL WITHOUT A PARENT OR ADULT GUARDIAN IN ATTENDANCE. ADULTS SHOULD NOT SWIM ALONE.

ATY-42-8531

**WARNING NO DIVING ALLOWED**  
Crippling Injuries May Occur

ATY-42-8533

**WARNING: NO LIFEGUARD ON DUTY SIGN** — Size: 18" x 24".  
**ATY-42-8531**

**NO DIVING ALLOWED SIGN** — Size: 18" x 24".  
**ATY-42-8533**

**NO RUNNING**

**NO RUNNING SIGN** — Size: 18" x 12".  
**NSS-42-4004**

**EMERGENCY 911**  
POLICE FIRE DEPT. PARAMEDIC RESCUE UNIT

**EMERGENCY 911 SIGN** — Size: 12" x 6".  
**PSL-42-2001**

**EMERGENCY SHUT-OFF SWITCH**

**EMERGENCY SHUT-OFF SWITCH SIGN**  
Size: 12" x 9".  
**NSS-42-3793**

**POOL RULES**  
1. Use pool at your own risk. We are not responsible for accidents or injuries.  
2. No glass, drinks or food in pool area.  
3. No animals allowed.  
4. Be considerate - No yelling or other loud noises.  
5. No running, pushing or other dangerous horseplay.  
6. Management reserves the right to deny use of pool to anyone at any time.  
7. Dive only in designated areas.  
8. Use pool at own risk when lifeguard is not on duty.  
Pool Hours \_\_\_\_\_ to \_\_\_\_\_

**PUBLIC POOL RULES SIGN** — Size: 18" x 24".  
**NSS-42-3775**

**CAUTION**  
1. Elderly persons, pregnant women, infants and those with health conditions requiring medical care should consult with a physician before entering a spa.  
2. Water temp is \_\_\_\_°F.  
3. Unsupervised use by children under the age of 14 is prohibited.  
4. Hot water immersion while under the influence of alcohol, narcotics, drugs or medicines may lead to serious consequences and is not recommended.  
5. Do not use alone.  
6. Long exposure may result in nausea, dizziness or fainting.

**SPA RULES SIGN** — Size: 18" x 24".  
**NSS-42-3774**

Please **SHOWER BEFORE ENTERING POOL**

**PLEASE SHOWER BEFORE ENTERING POOL SIGN** — Size: 12" x 18".  
**NSS-42-3784**

**NOTICE SWIM DIAPERS ARE REQUIRED FOR ALL CHILDREN WHO ARE NOT TOILET TRAINED**

**SWIM DIAPERS REQUIRED SIGN**  
Size: 12" x 10".  
**ATY-42-8507**

**NOTICE**  
PERSONS HAVING CURRENTLY ACTIVE DIARRHEA OR WHO HAVE HAD ACTIVE DIARRHEA WITHIN THE PREVIOUS 14 DAYS SHALL NOT BE ALLOWED TO ENTER THE POOL WATER.

**DIARRHEA SAFETY SIGN** — Size: 18" x 12".  
**ATY-42-8522**



### SPINE BOARDS

**LINCOLN SPINE BOARD** — Foam filled polyethylene construction with concave shape to minimize lateral movement. X-ray and MRI translucent. Lincoln Spine Board package includes: Lincoln Spine Board, Lincoln Head Immobilizer and Velcro body straps. Size: 72"L x 16"W x 2.25"H. 1,000 lb. weight capacity.

- LNC-42-8525** Lincoln Spine Board package
- EPT-42-8500** Lincoln Spine Board only
- KEM-42-8503** Spine Board mounting bracket



### HEAD IMMOBILIZERS & STRAPS

**LINCOLN HEAD IMMOBILIZER** — Two Plastisol coated foam head supports with universal attachment base and two durable head straps. Fits all spine boards. Complete with head and chin straps with Velcro closures. Colors: orange, royal blue, yellow, or black.

- KEM-42-1059** Lincoln Head Immobilizer



**KEMP BUCKLE STRAP**— Kemp USA's Two Piece Spine Board Strap has loop ends to attach to spine board handles. It is very durable and user friendly with plastic clips. This strap is for use with all spine boards. Dimensions: 72" x 2". Each.

- KEM-42-1014**



### RESCUE TUBES

**KEMP RESCUE TUBES** — The preferred choice of the American Red Cross and the standard Rescue Tube used by guard training agencies. Best used for pools, waterparks and guard training. Available in navy, orange, red, yellow, royal blue, white, or blue.

Item	Description	Dimensions
<b>KEM-42-1043</b>	Super Rescue Tube	49 1/2" x 6 1/4" x 3"
<b>KEM-42-1046</b>	Rescue Tube	39" x 6" x 3"



### RESCUE CAN

**KEMP RESCUE CAN** — The rescue can is produced with thick cross linked polyethylene walls, a heavy duty 2" strap, and 10 feet of 11/32" tow line. The can features pebble-grained hand grips to reduce slippage during water rescue. The 34" rescue can supports multi-victim rescue.

- KEM-42-1066** 34" Rescue Can



### WHISTLES

**PEALESS WHISTLES** — Chambers are designed to self-clear when submerged in water. Easily heard over long distances. Available in two styles: original **Fox 40** or new **Lifeguard** models. Colors: **Fox 40** - red or blue. **Lifeguard** - red or black.

- FXF-07-8503** Fox 40 Whistle
- KEM-42-8512** Lifeguard Whistle

### LANYARDS & WRIST BANDS

**FLEX COIL WRIST BANDS** — Bright flexible plastic coil wrist bands. Assorted colors.

- FXF-07-8511**



### FIRST RESPONDERS KIT

**LIFEGUARD FIRST RESPONDER KIT** Lifeguard Fanny Pack designed for the first responder. Kit includes: fanny pack, CPR mask, foil blanket, Lifeguard whistle, break-a-way neck lanyard and gloves.

- KEM-42-8500** First Responder Kit
- FIRST RESPONDER KIT SUPPLIES**
- KEM-42-8510** Lifeguard Fanny Pack
- KEM-42-1017** CPR Mask
- AGS-42-8501** Latex gloves, (box of 100)
- AGS-42-8500** Disposable blanket
- KEM-42-8512** Lifeguard whistle
- NMY-42-8509** Break-a-way neck lanyard

# Guard Chairs



TAF-35-1007  
AAA-35-8506

## PLASTIC GUARD CHAIRS

### CHAMPION™ GUARD CHAIRS

Recycled plastic guard chair won't rot, splinter or require paint. Ultra-smooth surface with contoured back, umbrella holder and cup holder. All stainless steel hardware. Four styles to choose from: the **No Step Guard Chair**, the **Front Step Guard Chair** which provides an easier approach to get in the chair and a comfortable footrest for your guard, the **Side Step Guard Chair** which allows you to place the chair closer to the pool edge, and the **Front Ladder Guard Chair** which has an easy access ladder for the guards. Specify color: white, green, sand or cedar. **3 Year Warranty.**

### CHAMPION™ NO STEP GUARD CHAIRS

Item	Seat Height	Overall Height	Platform Kit
TAF-35-1007	30"	51"	AAA-35-8506



TAF-35-1022

### CHAMPION™ SIDE STEP GUARD CHAIRS

Item	Seat Height	Overall Height	Platform Kit
TAF-35-1037	50"	70"	AAA-35-8528
TAF-35-1022	64"	85"	AAA-35-8527



TAF-35-1047



TAF-35-1042

### CHAMPION™ FRONT LADDER GUARD CHAIRS

Item	Seat Height	Overall Height
TAF-35-1042	50"	70"
TAF-35-1047	64"	85"



TAF-35-1015



TAF-35-1019

### CHAMPION™ FRONT STEP GUARD CHAIRS

Item	Seat Height	Overall Height
TAF-35-1015	30"	51"
TAF-35-1019	40"	61"
TAF-35-1027	50"	70"



KDI-35-8645

## GUARD STANDS

### PARAGON LOOKOUT CHAIRS

Designed for pools that do not require a full height chair, but want to separate guard from patrons. All Lookout chairs feature an elevated 360° swivel seat, for easy access. 40" x 38" slip resistant top. Wheels included on 2 and 3 step models for portability.

Item	Model	Platform Size	Seat Height
KDI-35-0365	3-Step	48"W x 55"D x 70"T	54"
KDI-35-8645	2-Step	38"W x 40"D x 58"T	42"
KDI-35-8646	1-Step	38"W x 40"D x 38"T	30"

### LOOKOUT CHAIR PARTS

- KDI-35-728 Paragon 26" vertical tread
- KDI-35-8739 Rubber leg cap, each
- KDI-35-8743 Plastic wheel, each




## HANDRAILS

**2-BEND HANDRAILS** — Allows you to have safe access to your pool. Front leg requires underwater anchor socket. Stainless steel 1.90" O.D. tubing x .065" wall thickness. Requires two anchor sockets and escutcheons (extra).

- SRS-35-1232** 48"
- SRS-35-732** 60"
- SRS-35-1241** 72"

**3-BEND HANDRAILS** — 3-Bend Handrails feature a 18" horizontal transition to the sloping portion of the handrail. Handrail allows you to have safe access to your pool. Front leg requires underwater anchor socket. Stainless steel 1.90" O.D. tubing x .065" wall thickness. Requires two anchors and escutcheons (extra).

- SRS-35-1239** 48"
- SRS-35-1055** 60"
- SRS-35-1263** 72"



## DECK-MOUNTED WELDED RAILS

Sloping handrail for pool entry steps provided safe entry and exit from the pool. Welded rail offers greater rigidity than standard handrails. Does not require underwater anchor socket. Stainless steel 1.90" O.D. x .065" wall thickness. Requires two anchors and escutcheons (extra).

- SRS-35-758** 54", sloping



## DECK-MOUNTED HORIZONTAL RAILS

Deck Mounted Rails allow you to have safe access to your pool without the need for an underwater anchor socket. Stainless steel 1.90" O.D. x .065" wall thickness. Requires two anchors & escutcheons (extra).

- SRS-35-1030** 51" horizontal
- SRS-35-1055** 60" horizontal



## COMMERCIAL LADDERS

**COMMERCIAL LADDERS** — 304 stainless steel ladders 1.90" O.D. x .065" wall thickness with stainless "elite" treads. With three different ladder widths (front-to-back) of 24", 30", and 36". Standard spacing between ladder rails is 20" (center-to-center of anchors). 316L Marine Grade ladders available for salt pools- inquire. Requires two anchor sockets and escutcheons (extra).

Style	Cross Braced
<b>24" Width</b>	
2-step	<b>SRS-35-1151</b>
3-step	<b>SRS-35-1072</b>
4-step	.
5-step	.
<b>30" Width</b>	
2-step	<b>SRS-35-1229</b>
3-step	<b>SRS-35-1065</b>
4-step	<b>SRS-35-1234</b>
5-step	<b>SRS-35-3530</b>
<b>36" Width</b>	
2-step	<b>SRS-35-1227</b>
3-step	<b>SRS-35-1235</b>
4-step	<b>SRS-35-803</b>
5-step	.
<b>SRS-35-4167</b>	Rpl. 20" Elite SS Tread



**FIGURE 4 GRAB RAILS** — Our most popular grab rails. 30" set back from vertical wall. Requires four anchor sockets, four escutcheons, and recessed steps as needed (extra). Pair

- SRS-35-1130** .065" x 1.90" O.D.
- SRS-35-2053** .120" x 1.90" O.D.

## COMMERCIAL RING GRAB RAILS

Stainless steel 1.625" O.D. tubing x .065" wall thickness. Requires anchor kit, escutcheons, and recessed steps in pool wall (extra).

- SRS-35-1088** Ring grab rails - pair
- SRS-35-993** Double anchor socket assembly
- SRS-35-3652** Repl. wedge retrofit kit
- SRS-35-1125** Double Escutcheon, plastic



## LADDER ACCESSORIES

**ESCUTCHEONS** — Round stainless steel covering anchor socket deck penetrations. Available for 1.90" O.D. and 1.50" O.D. tubing.

- SRS-351-2001** For 1.90 O.D. rails
- KDI-351-3005** For 1.50 O.D. rails

## SR SMITH STAINLESS STEEL ANCHOR

Marine Grade 316 stainless steel provides high corrosion resistance for harsh pool environments. Wedge anchor model for ladders and rails.

- SRS-351-4182** 4" (1.90" OD)
- SRS-351-4183** 4" (1.50" OD)

## UNIVERSAL LADDER

**BUMPERS** — Protects pool finish from damage by ladder end. Fits .065" wall thickness ladders only.

- SRS-351-1125**



## HANDRAIL COVERS


### KOOLGRIP HANDRAIL COVERS

Neoprene covers with zipper closure provides sure grip on rails when entering or exiting pool or spa. Material insulates rail surface against heat and cold. SureGrip hand area for slip-resistance. 4" Koolgrips are 1.625" diameter for tight fit on ladders and single handrails. All others are 1.90" diameter. Install 6-8" above water line. Colors: Royal Blue, Indian Teal, and Desert Tan.

- KGP-35-500** 4" **KGP-35-504** 8"
- KGP-35-502** 6" **KGP-35-512** 10"



# Diving Boards & Slides



SRS-35-1091

SRS-35-1003

## S.R. SMITH DIVING STANDS

**STEEL DIVING STANDS** — Powder coated steel diving stand. Each stand has beautiful sleek design with durable, double coated finish. Each stand includes pedestal and jig anchor assembly. Available in 1/2, 3/4, 1 meter heights and each stand is predrilled for optional stainless steel handrails. Diving board ordered separately.

Item	Description	Board Size
SRS-35-1003	1/2 meter stand	10'
SRS-35-1052	3/4 meter stand	10'
SRS-35-1091	3/4 meter stand	12'
SRS-35-1005	1 meter stand	10'
SRS-35-1001	1 meter stand	12'
SRS-351-4141	Handrail set	10'
SRS-351-4142	Handrail set	12'



## DIVING BOARDS

**FIBERGLASS DIVING BOARDS** — Available in 2 different commercial grades. **Swim Club Series** boards are designed with a solid laminated wood core, which is reinforced at the fulcrum. **Eureka Series** boards have a solid laminated wood core, which is reinforced along its full length and width. Both style boards utilize an acrylic skin with hand-laid fiberglass and resin roving. Includes mounting hardware. Colors: marine blue, white, and tile blue.

Length	Swim Club	Eureka
10'	SRS-35-754	.
12'	SRS-35-1515	.
14'	SRS-35-756	SRS-35-8506
16'	SRS-35-1211	SRS-35-1517



## OLYMPIAN ALUMINUM DIVING BOARD

Proven "I beam" extrusions with welded end construction. Safe, non-slip surface that resists wear. 12' board is 18" wide and the 14' and 16' boards are 20" wide. Includes mounting hardware. Colors: marine blue, white or tile blue.

SRS-35-1520	10'	SRS-35-1207	14'
SRS-35-1020	12'	SRS-35-1212	16'



SRS-35-426



SRS-35-0207

## WATER SLIDES

**VORTEX™ WATER SLIDES** — With the addition of a water slide you will attract more swimmers to your facility. Our open or closed flume slides are available with a spiral staircase or with ladder designs, so you can customize to fit your application. Mounts to existing decks. Rotomolded flume material with steel support frame. Accommodates sliders up to 325 lbs. Overall height: 10'7"H, Platform height: 7'6"H, and Flume length: 19'. Includes water delivery system (up to 40 GPM). Slide fully complies with the CPSC Safety Standard for Swimming Pool Slides (16 CFR 1207). Specify flume colors: blue or gray granite.

Description	Spiral Staircase	Ladder
Open Flume	SRS-35-0207	SRS-35-0205
Closed Flume	SRS-35-426	SRS-35-422



## LANE LINES

**COMPETITOR LANE LINES** — The most "wave eliminating" lane lines available on the market. Includes LifeSpan+ additive for extended lane life. Available in two sizes: Gold Medal Lane Lines are 6" dia. and Competitor Lane Lines are 4" dia. Includes Competitor take-up reels. Lane and donut colors: any combination of red, white, blue, green, yellow, black, maroon, orange, navy blue, gold, gray and purple. - specify. Lane lines with 'Disconnects' allow you to convert from long course to short course, and back, utilizing stainless steel pin and bronze clevis.

Length	Gold Medal 6"	Competitor 4"
60'	RCH-35-8507	RCH-40-2503
75'	RCH-35-1002	RCH-40-2501
25M	RCH-35-1003	RCH-40-2500
Custom Lengths		
Per Ft., Plus Hardware	RCH-35-8508	RCH-35-8545
Hardware		
RCH-35-8569	Lane Line Hardware	

Disconnects	Gold Medal 6"	Competitor 4"
25M to 1-75'	RCH-35-1006	RCH-35-1001
50M to 2-75'	RCH-35-8510	RCH-35-8547



KDI-35-8665

## LANE LINE STORAGE REELS PARAGON LANE STORAGE REELS

Constructed of stainless steel for long life. Choice of 5" zinc plated or 5" stainless steel locking casters. Storage Reel holds up to 540' of 4" lanes or 6" lanes up to 300'. Large Reel holds up to 720' of 4" lanes or 6" lanes up to 400'.

- KDI-35-8665 Lane Storage Reel
- KDI-35-8666 Lane Reel with S.S. Casters
- KDI-35-8667 Large Lane Reel
- KDI-35-8668 Large Lane Reel with S.S. Casters
- KDI-35-8669 Paragon Lane Reel Cover
- KDI-35-8762 Paragon Lane Reel Cover
- KDI-35-8663 Repl. zinc plated wheel kit, set of 4
- KDI-35-8664 Repl. stainless steel wheel kit, set of 4



## COMPETITOR CLASSIC STOR-LANE REEL

Newly redesigned with new transport handle and improved hardware design. Powder coated aluminum construction with PVC reel discs. Stores 525' of 4" lane lines and 300' of 6" lane lines. Size: 68" W x 46" D x 58" H.

- RCH-40-2504
- RCH-401-200 Classic Stor-Lane Reel Cover



## COMPETITOR RATCHET TAKE-UP REEL RCH-35-1007

## COMPETITOR RATCHET COVER RCH-35-8523

## COMPETITOR RATCHET WRENCH RCH-35-8524

**COMPETITOR 3/16" CABLE** — Vinyl covered stainless steel cable.  
RCH-35-1009



## COMPETITOR PORTABLE PACE CLOCK

15" diameter clock with integrated carry handle. Ideal for poolside deck use. Battery operated (1 AA battery included). Colors: Red or white clock housing with either white face with red and blue lettering or with black face with yellow and white lettering - specify.

- RCH-35-8599 White/Black face
- RCH-35-8600 White/White face
- RCH-40-2509 Red/White face
- RCH-40-2511 Red/Black face



FII-90-8505



FII-90-8504

## KICKBOARDS

**CHAMPION™ KICKBOARDS** — Sturdy foam kickboard will provide years of continued use. Smooth finish with contoured edges for better gripping. Junior kickboard is slightly softer for less stress on smaller swimmer's shoulders.

Item	Description	Size	Color
FII-90-8504	Champion™ Kickboard	18" L x 11 1/2" W	Blue
FII-90-8505	Champion™ Junior Kickboard	14" L x 10" W	Yellow



## POOL SHOT WATER BASKETBALL

Pool side basketball goal is constructed of heavy UV-treated polyethylene. Three winged panels direct missed shots back into the pool. Backboard is adjustable from 36" to 43" above the pool deck. The water filled base weighs 400 lbs when filled with water. Size: 5' high x 53" x 43". Includes basketball.

- MEE-90-8502 Pool Shot Water Basketball
- MEE-90-8500 Repl. water basketball only

# ADA Lifts



RMI-42-1000

## SR SMITH PORTABLE AQUATIC LIFTS PAL PORTABLE AQUATIC LIFT

Completely portable, free-standing PAL is the perfect accessory for any commercial aquatic facility. Maximum deck-to-water level distance is 12". In addition to the standard configuration, the PAL lift is also available in Hi/Lo and Spa versions. 240° rotation ensures a safe transfer. Powder coated stainless steel and aluminum construction. Powered by a 24-volt rechargeable battery. Includes: Anchor Secure-it Kit which allows the lift to be fixed to the deck without the need for bonding, LiftOperator intelligent control to prevent unauthorized use of lift, battery charger, battery cover, waterproof remote, integrated armrest, foot rest and seat belt. Lifting capacity: 300 lbs. **ADA Compliant.**

### RMI-42-XXXX

Model	Item	Set Back
PAL Portable Aquatic Lift	1000	16"-24"
PAL Kit includes cover & spineboard attachment	3500	16"-24"
PAL Spa	2500	16"-24"
PAL Hi/Lo	2000	16"-28"



RMI-42-4500  
RMI-42-4501




SRS-42-3008

## PAL 2 PORTABLE AQUATIC LIFT

Portable Aquatic Lift 2 (PAL 2) places the Lift Operator intelligent control and battery on the mast. Powder coated stainless steel and aluminum construction. Includes: Anchor Secure-it Kit which allows the lift to be fixed to the deck without the need for bonding. Includes integrated armrests, intelligent control to prevent unauthorized use of lift, battery charger, battery cover, waterproof remote, foot rest and seat belt. Lifting capacity: 300 lbs. **ADA Compliant.**

Model	Item	Set Back
PAL 2 Aquatic Lift	SRS-42-3008	16"-24"



**NOTE: Set-back dimensions on this page reflect a 0" deck-to-water level dimension. Set-backs will vary according to your actual deck-to-water level height. Visit [www.lincolnaquatics.com](http://www.lincolnaquatics.com) for a pool lift set-back chart.**



RMI-42-4000

## SR SMITH SEMI-PORTABLE LIFTS SPLASH AQUATIC LIFT

— Maximum deck-to-water level distance is 12". The Splash lift is also available in Hi/Lo, Spa and Extended Reach versions. 359° rotation ensures a safe transfer area. Powder coated stainless steel and aluminum construction. Powered by a 24-volt rechargeable battery. LiftOperator Intelligent Control System to prevent unauthorized use of lift. Includes stainless steel locking deck anchor with cap, charger, seat belt, arm rests, and battery cover. Lifting capacity: Splash Aquatic Lifts 400 lbs., Splash Extended Reach versions 300 lbs. **ADA Compliant.**

### RMI-42-XXXX

Model	Item	Set Back
<b>Splash Lifts</b>		
Splash Lift	4000	16" - 29"
Splash Kit with mast cover & caddy	4250	16" - 29"
<b>Splash Spa Lifts</b>		
Splash Spa	4100	16" - 29"
<b>Splash Hi/Lo Lifts</b>		
Splash Hi/Lo	4050	16" - 50"
<b>Splash Extended Reach Lifts</b>		
Splash Extended Reach (ER)	4150	16" - 46"
Splash ER Kit with mast cover & caddy	4300	16" - 46"
Splash ER Hi/Lo	1040	16" - 50"



SRS-42-2186

SRS-42-2167





**aXs2 AQUATIC LIFT** — The aXs2 is a low profile pool lift that is an ideal access solution for community and hospitality swimming pools. The aXs2 lift meets the Americans with Disabilities Act Access Guidelines (ADAAG 2010) and has a 300 pound lifting capacity. The aXs2 lift installs into your pool deck via locking anchor. 360° rotation ensures a safe transfer area. aXs2 Lift includes battery, charger, battery console cover, water resistant hand control, LiftLock stainless steel anchor socket with cover, footrest, armrests and seat belt assembly. **ADA Compliant.**

**SRS-42-XXXX**

Model	Item	Set Back
aXs2 Pool Lift w/ Anchor	<b>2185</b>	12"-31"
aXs2 Pool Lift w/ Anchor & Caddy	<b>2189</b>	12"-31"
Locking Square Deck Anchor	<b>2508</b>	▪

**ML300 AQUATIC LIFT** — New economical aquatic lift that is ideal for a wide range of pool applications. Maximum deck-to-water level distance is 8". Right or left side mounting allows for versatile location on the deck. Powder coated stainless steel and aluminum construction. Powered by a 24-volt rechargeable battery. Includes Lift Operator Intelligent Control System, 4 anchor bolts with inserts, anchor jig, seat belt and battery cover. Lifting capacity 300 lbs. **ADA Compliant.**

**SRS-42-XXXX**

Model	Item	Set Back
ML300	<b>3000</b>	8.5" - 13"
ML300 without anchor	<b>2999</b>	8.5" - 13"

**S.R. SMITH LIFT PARTS**

Description	PAL/PAL 2	Splash	aXs2	MultiLIFT
Secure-It-Kit	<b>SRS-42-1090</b>	<b>SRS-42-2067</b>	▪	▪
Locking anchor with cap	▪	<b>SRS-42-3015</b>	<b>SRS-42-3015</b>	▪
Locking anchor cap only	▪	<b>SRS-42-8508</b>	<b>SRS-42-8508</b>	▪
Flush deck anchor kit	▪	▪	▪	<b>SRS-42-2080</b>
Lift Cover, operable position	<b>RMI-42-4500</b>	<b>RMI-42-4500</b>	<b>SRS-42-9006</b>	<b>SRS-42-5201</b>
Tan Mast Cover	▪	<b>SRS-42-2167</b>	▪	▪
Tan Seat Saver Cover	<b>SRS-42-2186</b>	<b>SRS-42-2186</b>	<b>SRS-42-2186</b>	<b>SRS-42-2186</b>
Splash Lift Caddy	▪	<b>RMI-42-1010</b>	▪	▪
Foot rest without hardware	<b>RMI-42-1002</b>	<b>RMI-42-1002</b>	▪	<b>RMI-42-1002</b>
Foot rest with hardware	<b>SRS-42-2030</b>	<b>SRS-42-2030</b>	▪	<b>SRS-42-2030</b>
Spine board attachment	<b>RMI-42-1003</b>	<b>RMI-42-1003</b>	▪	▪
New Stability Strap	<b>SRS-42-2190</b>	<b>SRS-42-2190</b>	<b>SRS-42-2190</b>	<b>SRS-42-2190</b>
Seat belt	<b>RMI-42-1013</b>	<b>RMI-42-1013</b>	<b>RMI-42-1021</b>	<b>RMI-42-1013</b>
SR Smith pool/spa lift available sign	<b>RMI-42-5000</b>	<b>RMI-42-5000</b>	<b>RMI-42-5000</b>	<b>RMI-42-5000</b>
2-button hand controller	▪	▪	▪	<b>SRS-42-2005</b>
4-button hand controller	<b>RMI-42-1045</b>	<b>RMI-42-1045</b>	<b>RMI-42-1045</b>	▪
4-button hand controller - CA Only	<b>RMI-42-4600</b>	<b>RMI-42-4600</b>	<b>RMI-42-4600</b>	<b>RMI-42-4600</b>
2-button control system	▪	▪	▪	<b>SRS-42-2004</b>
4-button control system	<b>RMI-42-4602</b>	<b>RMI-42-4602</b>	<b>RMI-42-4602</b>	▪
Lift Operator Battery	<b>SRS-42-3007</b>	<b>SRS-42-3007</b>	<b>SRS-42-3007</b>	<b>SRS-42-3007</b>
Linak Battery	<b>RMI-42-1031</b>	<b>RMI-42-1031</b>	<b>RMI-42-1031</b>	▪
Lift Battery - CA Only	<b>SRS-42-3004</b>	<b>SRS-42-3004</b>	<b>SRS-42-3004</b>	<b>SRS-42-3004</b>
Lift Operator Charger	<b>SRS-42-3029</b>	<b>SRS-42-3029</b>	<b>SRS-42-3029</b>	<b>SRS-42-3029</b>
Linak Charger	<b>RMI-42-1026</b>	<b>RMI-42-1026</b>	<b>RMI-42-1026</b>	▪
Lift Charger - CA Only	<b>SRS-42-3027</b>	<b>SRS-42-3027</b>	<b>SRS-42-3027</b>	<b>SRS-42-3027</b>

**NOTE:** Set-back dimensions on this page reflect a 0" deck-to-water level dimension. Set-backs will vary according to your deck-to-water level height. Visit [www.lincolnaquatics.com](http://www.lincolnaquatics.com) for a pool lift set-back chart.



### AQUA CREEK SEMI-PORTABLE LIFTS

**SCOUT 2 AQUATIC LIFT** — The Scout 2 pool lift features an adjustable height seat pole, robust base and a stronger actuator. This pool lift will accommodate most existing anchors by utilizing adapter sleeves. The optional pull-out leg rest may be used for greater clearance on raised pool and spa applications. The Scout 2 is designed for in-ground anchoring. The Scout 2 pool lift can rotate 360 degrees in either direction providing versatility and accessibility solutions. Order anchors separately. Capacity: 375 lbs. **ADA Compliant.**

#### ACP-42-XXXX

Item	Scout 2 Pool Lift Model	Set Back
3000	w/o Anchor	19"-35"
4112	w/ Anchor	19"-35"

#### SCOUT 2 AQUATIC LIFT OPTIONS

Item	Description
4158	Head Rest
8503	Seat Belt
8513	Chest Strap
8501	Pull-Out Leg Rest
4075	Cycle Attachment
4061	Vito Battery
4152	Vito Battery Charger
4153	Vito Control Box
4150	4-Button Handset
4139	Solar Charging Station
4111	Lift Transport Cart
4112	Standard Anchor 1.9" ID x 10" Deep
4143	Anchor for Paver
4162	Anchor for Wood
4157	Anchor, Semi-Recessed Concrete
1014	Lift Cover - Blue
1015	Lift Cover - Tan
8517	ADA Lift Available Sign



**RANGER 2 POOL LIFT** — The Ranger Pool Lift is an economical, third party verified ADA Compliant lift. Sleek, low profile design. This lift is ideal for use on smaller hotel and motel swimming pools. Designed to be independently operated by the user, allowing the individual full control of the lift with an easy 2 button handset. The Ranger offers additional anchor set backs to accommodate a variety of pool deck situations. A reverse configuration is also available for individuals who need to transfer from the right instead of the left side. Order anchors separately. Capacity: 350 lbs. **ADA Compliant.**

#### ACP-42-XXXX

Item	Ranger Pool Lift Model	Set Back	Deck-to-Water Level
4076	w/o Anchor	14.5-19"	Up to 9"

#### RANGER 2 AQUATIC LIFT OPTIONS

Item	Description
4158	Head Rest
8503	Seat Belt
8513	Chest Strap
8501	Pull Out Leg Rest
4159	Adjustable Seat Pole
4061	Vito Battery
4152	Vito Battery Charger
4154	Vito Control Box
4144	2-Button Handset
4138	Solar Charging Station
4080	Lift Transport Cart
4141	Standard Anchor 4" Inserts
4142	Anchor for Paver 8" Inserts
4077	Quick Attach Anchor
4155	Anchor for Wood
4084	Lift Cover - Blue
4145	Lift Cover - Tan
8517	ADA Lift Available Sign



### AQUA CREEK PORTABLE LIFTS

**PATRIOT POOL LIFT** — The Patriot lift provides the mobility and maneuverability so desired by pool owners and patrons with the reliability and quality expected of an Aqua Creek pool lift. The Patriot lift is now counter-weighted using a sand ballast or weight plates. The standard Patriot lift will accommodate up to a 12" water draft. Includes fixing kit to anchor lift in place. Capacity: 375 lbs. **ADA Compliant.**

#### ACP-42-XXXX

Item	Patriot Pool Lift Model	Set Back	Deck-to-Water Level
4131	Patriot w/ Weights	26" - 31"	Up to 12"
1000	Patriot Portable w/ Ballast	26" - 31"	Up to 12"

#### PATRIOT POOL LIFT OPTIONS

Item	Description
4158	Head Rest
8503	Seat Belt
8513	Chest Strap
8501	Pull Out Leg Rest
4060	Linak Battery
4016	Linak Battery Charger
1002	Control Box
4140	Solar Charging Station
4144	2-Button Handset
4080	Lift Transport Cart
4084	Lift Cover - Blue
4145	Lift Cover - Tan
1007	Actuator Cover - Blue
4146	Actuator Cover - Tan





### AQUA CREEK HEAVY DUTY LIFTS

**MIGHTY AQUATIC LIFT** — Mighty Aquatic Lifts- Available in 600 lb. and 400 lb. lifting capacity. Features an adjustable height seat pole allowing up to 4" of additional height and a set back of up to 44". Battery operated lift can rotate 360 degrees in either direction. Includes flip up armrests. All Mighty Lifts come in standard white with blue seat and footrest. Optional seat colors: tan, gray, or white. Powder coating colors: blue, tan, or gray. Anchor ordered separately. **UL Certified to meet pool lift safety standard 60335-2-1000.**

Item	Mighty Aquatic Lift Model
ACP-42-1019	400 Lift w/o Anchor
ACP-42-1024	600 Lift w/o Anchor



**ADMIRAL POOL LIFT** — These lifts are field reversible, which allows you to change the direction of the seat onsite. Includes flip up armrests, adjustable footrest, & seat belt. Comes in standard white with blue seat and footrest. Optional seat colors: tan, gray, or white. Powder coating colors: blue, tan, or gray. Anchor ordered separately. Capacity: 450 Lbs. Set Back Range-14.5"- 19". **UL Certified to meet pool lift safety standard 60335-2-1000.**

ACP-42-1016 Admiral Lift w/o Anchor



### SOLAR CHARGER

#### AQUA CREEK SOLAR CHARGERS

Solar charging station insures your Aqua Creek lift is ready to go with a full charge by providing a steady stream of low voltage power to your lift battery. Extends battery life and eliminates the need to remove your battery daily for charging. Solar Chargers are available for most lifts.

ACP-42-4138 Pro/Ranger/Ambassador

ACP-42-4139 Scout/Revolution/Titan/Elite/Ultra

ACP-42-4140 Patriot solar charger

### AQUA CREEK AQUATIC LIFT PARTS

#### ACP-42-XXXX

Item	Description
<b>Battery</b>	
4060	Linak Battery
4061	Vito Battery
<b>Charger</b>	
4016	Linak Charger
4152	Vito Charger
<b>Covers</b>	
3002	Ranger/Pro Lift
4080	Pro Pool/Patriot
1014	Scout 2 Tan
1015	Scout 2 Blue
1007	Actuator Cover
<b>Remotes</b>	
4144	2-button Handset
4150	4-button Handset
<b>Transport Carts</b>	
4080	Pro Pool Cart
4111	Scout Lifts Cart
<b>Anchor Kits</b>	
4112	Scout Anchor
4020	EZ/Power Lift Anchor
4141	Ranger Anchor Kit
4142	Ranger/Pro Lift Anchor Kit w/ Paver
4068	Revolution Anchor
4143	Scout Lift Anchor Kit w/ Pavers
4113	SR Smith Handy Anchor Adapter
4114	Lifeguard Lift Anchor Adapter
4115	Spectrum Elkhorn Anchor Adapter
4116	Hoyer Anchor Adapter
8518	Pro Pool XR Anchor Kit



VIU-42-8503

### WATER WHEEL CHAIR

**AQUA CHAIR** — Provides independent accessibility for disabled individuals in and around water. PVC design allows you to furnish a wheelchair specifically for "wet" areas at your facility. All stainless steel fasteners for additional strength and durability. Removable swing arm allows for easier transfer to and from the wheelchair. Weight limit is 350 lbs. Includes: flip-up foot rest, wheels with stainless steel rims and locking brakes and swing arm assembly.

VIU-42-8503 Aqua Chair Short

VIU-42-8501 Safety belt

VIU-42-8502 Shoulder harness with safety belt

VIU-42-8500 Replacement 7" front wheel, each



HTO-35-8519

### ADA STAIRS

#### AQUA STEP ADA 24" LADDERS

Features: 24" wide stairs, shielded treads, extended handrails and 600 lb. weight capacity. Includes: deck anchors and bolts. Specify desired riser height 5", 6.5" 7", 7.5", 8" or 8.5". Safety Side Guard option, set of 2 side panels, ordered separately with new ladder. **Limited Lifetime Warranty on frame. Meets ADAAG Guidelines.**

HTO-35-8517 Aqua Step ADA 24", 4-Step

HTO-35-8518 Aqua Step ADA 24", 5-Step

HTO-35-8519 Aqua Step ADA 24", 6-Step

HTO-35-8521 Aqua Step ADA 24", 7-Step

HTO-35-8521 Aqua Step ADA 24", 8-Step

HTO-35-8551 Safety Side Guard Option, set of 2



# Furniture



**VISION SLING** — Commercial grade aluminum frame is powder coated for durability. Vision Sling Dining Chairs, Chaise Lounge, and Spa Chair are stackable. Sling fabric is replaceable. Each piece is available in a variety of finishes and fabrics- inquire. **5 Year Warranty.**

- TXC-96-0001** Nesting Dining Chair
- TXC-96-0002** Nesting Chaise Lounge
- TXC-96-0003** Nesting Spa Chair
- TXC-96-0004** Bar Stool

# TEXACRAFT®



**SCANDIA SLING** — Commercial grade aluminum frame is powder coated for durability. Scandia Sling Dining Chairs, Chaise Lounge, and Spa Chair are stackable. Sling fabric is replaceable. Each piece is available in a variety of finishes and fabrics- inquire. **5 Year Warranty.**

- TXC-96-0005** Nesting Dining Chair
- TXC-96-0006** Nesting Chaise Lounge
- TXC-96-0007** Nesting Spa Chair
- TXC-96-0008** Sled Base Nesting Spa Chair
- TXC-96-0009** Sling Bar Stool



**SPLASH STRAP** — Commercial grade aluminum frame is powder coated for durability and built with double wrapped 2" virgin vinyl strapping with mildew inhibitors. Splash Game Chairs, Chaise Lounge, and Spa Chair are stackable. Each piece is available in a variety of finishes and vinyl strap colors- inquire. **5 Year Warranty.**

- TXC-96-0024** Double Wrapped Nesting Game Chair
- TXC-96-0025** Double Wrapped Chaise Lounge
- TXC-96-0026** Double Wrapped Nesting Sand Chair
- TXC-96-8507** Double Wrapped Bar Stool



**OASIS COLLECTION** — Commercial grade aluminum frame is powder coated for durability. Oasis Dining Chairs, Chaise Lounge, and Spa Chair are stackable and available in Sling or Crossweave styles. Sling fabric is replaceable. Each piece is available in a variety of finishes, fabrics, and straps- inquire. **5 Year Warranty.**

Item Type	Sling	Crossweave
Nesting Game Chair	<b>TXC-96-0027</b>	<b>TXC-96-8505</b>
Nesting Chaise Lounge	<b>TXC-96-0028</b>	<b>TXC-96-0031</b>
Nesting Sand Chair	<b>TXC-96-0029</b>	<b>TXC-96-8510</b>
Bar Stool	<b>TXC-96-0030</b>	<b>TXC-96-8508</b>

# Furniture



## TABLES

**ALUMINUM SLAT TOP TABLES BY TEXACRAFT** — Extruded aluminum tops with aluminum base. Dining tables include umbrella hole. Tables are available in all frame finishes- inquire.


- TXC-96-0019** Round, 23.5" diameter
- TXC-96-0020** Round, 36" diameter
- TXC-96-0021** Round, 42" diameter
- TXC-96-0022** Round, 48" diameter
- TXC-96-0023** Square, 42" square



## ACRYLIC TABLES BY TROPIC CRAFT-

Commercial grade aluminum framed tables with acrylic top. Dining tables include umbrella hole, but can be deleted, if not required. Tables are available in standard frame colors- inquire.

- TXC-96-0014** 18" square
- TXC-96-8500** 18" diameter
- TXC-96-8501** 42" diameter
- TXC-96-8502** 48" diameter
- TXC-96-0016** 42" diameter
- TXC-96-0015** 48" diameter



## RESIN FURNITURE

**SIESTA RESIN FURNITURE** – By Compamia. High quality, UV resistant commercial marine grade resin furniture. Aqua Pool Chaise Lounge- four position back adjustment folds flat and is stackable with recessed wheels. Color: white. Pacific Sling Chaise Lounge- five position adjustable lounge with comfortable sling mesh fabric. Lounge folds flat and is stackable with recessed wheels. Color: white with blue mesh sling. Artemis 42" Square Dining Set- with four stackable arm chairs. Color: white. Artemis Arm Chair is stackable. Color: white. Resin Dining Tables and Side Tables- color: white. Additional frame and fabric colors also available- inquire.

- COZ-96-0001** Aqua Pool Chaise Lounge- 4 pack
- COZ-96-0002** Pacific Sling Chaise Lounge- 2 pack
- COZ-96-0003** Artemis 42" Square Dining Set, with Four Chairs
- COZ-96-0004** Artemis Arm Chair- 2 pack
- COZ-96-0005** Sunray 16" Square Side Table- 2 pack
- COZ-96-0006** Truva 42" Round Dining Table-each



## TEXAWOOD BREEZE FURNITURE

24" dia. bar table and saddle style bar stools constructed of Texawood recycled HDPE material, that is UV protected. Stainless hardware. Contempo Style- has white or black legs only, with traditional or vibrant colors. Traditional Style- is available in traditional lumber colors only.



Item	Style	Description	Size
			(W x D x H)
<b>TXC-96-0011</b>	Contempo	Bar Table	24" x 24" x 42"
<b>TXC-96-0010</b>	Contempo	Bar Stool	20 1/2" x 15 3/4" x 29 3/4"
<b>TXC-96-0013</b>	Traditional	Bar Table	24" x 24" x 42"
<b>TXC-96-0012</b>	Traditional	Bar Stool	20 1/2" x 15 3/4" x 29 3/4"



**PLASTIC PICNIC TABLE**

**PLASTIC PICNIC TABLE** — Classic 6' picnic table designed for rugged outdoor use. Recycled plastic lumber construction gives the appearance of wood without the maintenance. Top color: cedar. Base color: brown, green or black. **BGH-35-8501**



**CHILDRENS PLASTIC PICNIC TABLE**

Built especially for children up to age 10. Superior design prevents tipping even when seats are unbalanced. Durable and longlasting plastic lumber is ideal for outdoor use. 48" long picnic table top color: cedar. Base color: brown, green or black. **BGH-35-8503**



**TAF-96-6033**



**PLASTIC LOUNGERS**

**CHAISE & CHAISE DEEP LOUNGERS**

Our Chaise and Chaise Deep provide a contoured, comfortable place to relax on your tanning ledge or Baja shelf. Made from durable and color-stabilized material, these elegant loungers deliver sleek style in a weather-resistant form. If your ledge has up to 9 inches of water, we recommend the Chaise. If you have a deeper ledge with 10 to 15 inches of water, opt for the Chaise Deep. While they're different sizes, both are equally easy to set up. Simply submerge them into your pool to let them fill with water, and pull them onto the ledge two quick steps for an indulgent sunbathing experience. Make a day at the pool something to celebrate with the Chaise and Chaise Deep.

- LLO-96-1010** Chaise Lounger
- LLO-96-1021** Chaise Deep Lounger



**CHAIR** — Sit up and enjoy the view in our upright, high back Chair. Unlike the Chaise which rests in a horizontal position, the Chair sits upright, offering supreme comfort and functionality. Whether you want to sit on the pool's ledge, the deck, or even the beach, the Chair is the perfect upright seat. Made with the same high quality materials and contemporary aesthetic as our other products, our Chair upgrades the poolside experience with more ways to soak up the rays.

- LLO-96-1032** Water Chair

**RECYCLED PLASTIC FURNITURE**

**FURNITURE** — Classic style made from 100% recycled plastic. Will never rot, peel, crack or splinter. Stainless hardware. Salt water resistant, stores outdoors year round. Contoured seats and back. Table size: 21" H x 20" W x 19" D. Colors: white, cedar or green.

- TAF-96-6003** Adirondack chair
- TAF-96-6013** Adirondack ottoman
- TAF-96-6033** Adirondack rocker
- TAF-96-6023** Adirondack table
- TAF-96-6043** Adirondack sand chair



**TAF-96-6023**

**TAF-96-6003**



**TAF-96-6043**



## FIBERGLASS UMBRELLAS

### FIBERGLASS MARKET UMBRELLAS

Patented fiberglass pole with solid fiberglass ribs and frame allows the umbrella to handle high wind conditions. Low maintenance versus wood market umbrellas. These six rib hexagonal umbrellas are available in 8 1/2", 9' and 11' dia. sizes with 1/2" or 3/4" dia. ribs. Includes marine grade Sunbrella fabrics with vent. Premium Sunbrella colors available for additional charge. 1 1/2" one-piece center pole with manual lift and pin insert. **Standard** market umbrella includes: 1 1/2" dia. center pole with 1/2" dia. ribs. Center pole and rib colors: white, black, silver, teakwood, or champagne. **Premier** market umbrella includes: 1 1/2" dia. center pole with 3/4" dia. ribs. Center pole and rib colors: white, black, or champagne. **Wood Grain** market umbrella includes: 1 1/2" dia. center pole with 3/4" dia. ribs in wood grain color only. Finial ball on top to match frame color. Umbrella base ordered separately. **3 Year Warranty.**

### FBL-96-XXXX

Item	Model	Size	Pole Dia.	Rib Dia.
8507	Standard	7 1/2" ft.	1 1/2"	3/4"
8502	Standard	8 1/2" ft.	1 1/2"	1/2"
8503	Premier	9 ft.	1 1/2"	3/4"
8500	Premier	11 ft.	1 1/2"	3/4"
8504	Wood Grain	9 ft.	1 1/2"	3/4"
8501	Wood Grain	11 ft.	1 1/2"	3/4"
8506	Wood Grain	7 1/2" ft.	1 1/2"	1/2"



## ALUMINUM UMBRELLAS

**COMMERCIAL GRADE ALUMINUM MARKET** — Commercial grade aluminum market umbrellas in 5 sizes. Easy Glide commercial pulley system allows for smooth raising and lowering of umbrella. Frame and pole finish color is polished silver anodized aluminum. Marine Grade chrome plated aluminum finial top. 9 oz. Two-piece center pole for ease of shipping. Marine Grade Acrylic Fabrics available in 24 colors and styles. Umbrella base ordered separately.

### SFS-96-XXXX

Item	Model	Size	Pole Dia.	Height
8504	Octagon	7 1/2 ft.	1 1/2"	94"
8506	Octagon	9 ft.	1 1/2"	108"
8508	Octagon	11 ft.	1 1/2"	108"
8500	Square	6 1/2 ft.	1 1/2"	100"
8502	Square	7 1/2 ft.	1 1/2"	108"

## PORTABLE SHELTERS

**PORTABLE SHELTERS** — Sets up in less than 60 seconds. Aluminum telescoping legs extend and snap into place. No tools required. Folds compactly for easy storage. Excellent for swim meets, tennis matches, and parties. Side walls, clear panels, carrying bags, and custom lettering optional. Red, blue, black, white, and custom colors available.

- ALY-96-8500 8' x 8'
- ALY-96-8502 10' x 10'
- ALY-96-8503 10' x 15'
- ALY-96-8504 10' x 20'



SFS-96-1003

## LIFEGUARD UMBRELLA

**LIFEGUARD UMBRELLA** — Heavy-duty vinyl umbrellas with bound valance. Two-piece aluminum pole with push button tilt allows user to position the umbrella so they can protect themselves from the sun. Size: 6' dia., with 7' H x 1 1/2" dia. pole. Colors: red/white, navy/white, royal blue/white, or hunter green/white.

SFS-96-1003



KEM-42-1067

## CHAMPION™ LIFEGUARD UMBRELLAS

Available with weather-resistant nylon fabric with vinyl laminate white trim or all vinyl fabric. Highly visible "LIFE GUARD" imprinted for easy identification of your Lifeguard stations. Size: 6 1/2' dia. with 7 1/2' H x 1 3/4" dia. pole with push button tilt. Color: red with white lettering.

KEM-42-1067 Nylon, 6 1/2' dia.

SFS-96-2001 Vinyl, 6 1/2' dia.



ALY-96-8502






**WDD-96-8500**

### UMBRELLA BASES

**PLASTIC UMBRELLA SHELL** — Use with umbrella table only. Plastic base weighs 50 lbs. Colors: black or taupe.

- WDD-96-8500**
- WDD-96-8501**
- WDD-96-8502**



### STEEL PLATE UMBRELLA BASES

Low profile steel plate provides appropriate weight and counter balance for large market umbrellas. Pre-drilled holes allow bases to be bolted down. Square plate styles provide increased stability. Used with 1 1/2" diameter umbrella poles. Available with 9" high sleeve for in-table use or 15" high sleeve for free-standing applications. Available in 15 Tropitone colors. Up charge for premium finish colors.

#### TPH-96-XXXX

Steel Umbrella Base	9" High	15" Free Standing	Wt.
20" round	<b>8561</b>	-	55
24" round	<b>8563</b>	<b>8562</b>	60
24" square	<b>8565</b>	<b>8564</b>	80



**TPH-96-8549**

**PORTABLE UMBRELLA BASE** — 100 lb. concrete filled aluminum shell base with wheels. 24" diameter shell with 8" and 18" stem heights, adjustable for 1 1/2" and 2" umbrella poles. Finish: matte silver.

#### SFS-96-1017

**TROPITONE IN-GROUND SLEEVE** — Securely anchors umbrellas in deck or lawn areas. Requires use of a concrete footing for anchor security. Includes: threaded anchor cap and sleeve with drilled collar for lock or bolt installation (lock or bolt not included). Order umbrellas with 12" extra length on center pole to compensate for depth of anchor.


- TPH-96-8549** 1 1/2" diameter sleeve
- TPH-96-8550** 2" diameter sleeve
- TPH-96-8551** 2 1/2" diameter sleeve



### LOCKER ROOM FLOORING

**HERONRIB MATTING** — Designed for hard-wearing indoor/outdoor use, the "aqua comfort" matting is ideal for bare foot areas. Wide-spaced grid design takes large volumes of water and quickly channels it away to maintain a stable surface for standing and walking. Built with antibacterial/antifungal protection for less maintenance. Matting is flexible and easily cuts to fit any application. Vinyl edging strip provide flexible ramping of the perimeter, attaches with cold welding paste for permanent bond, included. Matting colors: oxford blue, ocean blue, charcoal gray, forest green, mulberry red, white, or buff. Joining strips used to link lengths together. Color: dark gray. Side-to-side clips are used to join rolls together. Color: dark gray or black.

- PAX-42-1031** Heronrib matting, 2' x 33'
- PAX-42-1037** Heronrib matting, 3' x 33'
- PAX-42-1043** Heronrib matting, 4' x 33'
- PAX-42-1023** Vinyl edging, 2" x 33'
- PAX-42-1024** Joining strips, 8'2"
- PAX-42-1021** Side-to-side clips, pkg. of 10



### HERONTILE FLEXIBLE FLOORING TILES

Exclusive "wave design" creates distinctive style for wet areas. Open grid, broad slat design allows you to easily roll-up flooring tiles for cleaning. Features fungus and anti-bacterial inhibitors. Circular embossing is comfortable on your feet while providing additional slip resistance. Colors: ocean blue, light blue or gray. Size: 13" x 13" x 5/8". Case of 27 tiles. Sloped edging available in ocean blue only.

- PAX-42-8505** Flooring tiles, case, Light Gray
- PAX-42-8500** Flooring tiles, case, Light Blue
- PAX-42-8506** Flooring tiles, case, Ocean Blue
- PAX-42-8504** Sloped edging, Ocean Blue



### SWIMSUIT WATER REMOVER

**SUITEMATE WATER EXTRACTOR** — Perfect solution to wet swimsuit problems. Operates without heat; 100% safe for all swimsuit materials. Spin dries to remove 95% of suit water. Includes a self timer and will shut off after eight seconds. Rust-free stainless steel and plastic construction. 115 volt with built-in GFI. Wall mounted. **1 Year Limited Warranty.**

#### EXR-90-8500



### BABY CHANGING STATIONS


#### KOALA BABY CHANGING STATIONS

Meets ADA requirements. Durable plastic construction installs with 4 bolts. Large concave bed with safety straps and bed liner dispenser. Child protection seat, for stall mounting, eliminates the danger of leaving baby unattended. Sanitary bed liners ordered separately. Specify color: cream or gray.

- KKP-35-8503** Horizontal, Cream
- KKP-35-8514** Horizontal, Gray
- KKP-35-8501** Vertical, Cream
- KKP-35-8515** Vertical, Gray
- KKP-35-8508** Child protection seat, Cream



# Pool Covers



**POOLSTYLE SOLAR BLANKETS** — The PoolStyle Solar Bubble Cover is the most economic way to reduce water, chemical, and heat loss in any commercial pool when not in use. Available in a variety of sizes, they can be easily cut to fit the exact shape of your pool. Studies have shown that covering a pool can reduce evaporation by up to 95%. Not only will the cover reduce water loss, but chemicals and heat are also retained more effectively with a cover saving time and money all around. **Available with a 4 or 6 Year Warranty.**

Cover Size	Item
12' x 20'	<b>PSL-70-5069</b>
12' x 24'	<b>PSL-70-5070</b>
14' x 28'	<b>PSL-70-5071</b>
16' x 24'	<b>PSL-70-5072</b>
16' x 30'	<b>PSL-70-5073</b>
16' x 32'	<b>PSL-70-5074</b>
16' x 36'	<b>PSL-70-5076</b>
16' x 40'	<b>PSL-70-5077</b>
18' x 32'	<b>PSL-70-5078</b>
18' x 36'	<b>PSL-70-5079</b>
18' x 40'	<b>PSL-70-5080</b>
20' x 36'	<b>PSL-70-5081</b>
20' x 40'	<b>PSL-70-5082</b>
20' x 44'	<b>PSL-70-5083</b>
24' x 40'	<b>PSL-70-5084</b>
24' x 44'	<b>PSL-70-5085</b>
26' x 50'	<b>PSL-70-5086</b>
25' x 45'	<b>PSL-70-5087</b>
25' x 50'	<b>PSL-70-5088</b>
30' x 50'	<b>PSL-70-5089</b>
30' x 60'	<b>PSL-70-5090</b>



## POOL AND SPA COVERS

**INSULATED FLOATING POOL COVERS** — Save 60-70% of your heating costs by using an insulated floating pool cover. Reduces water evaporation, chemical loss, energy costs, and will help keep your pool cleaner. Payback on most covers is less than one year. Each pool cover is custom designed and fitted to your pool dimensions and is priced per square foot.

The pool cover material varies by thread count in the polyethylene fabric. Each material gains bursting strength and abrasion resistance as the thread count increases. The 1212 hemmed edge is used for indoor pools and spas, or 1 piece outdoor covers. The 1212 weighted edge is used on outdoor pools to help prevent wind lift.

### UNF-70-XXXX

#### 1010 STD COVERS - 3 YEAR WARRANTY

Cover Size	Edge Style	
	Hemmed	Weighted
1-299 sq. ft.	<b>8593</b>	<b>8730</b>
300-999 sq. ft.	<b>8577</b>	<b>8729</b>
1,000-1,999 sq. ft.	<b>8574</b>	<b>8727</b>
2,000-2,999 sq. ft.	<b>8571</b>	<b>8726</b>
3,000+ sq. ft.	<b>8629</b>	<b>8732</b>

#### 1014 RS COVERS - 4 YEAR WARRANTY

Cover Size	Edge Style	
	Hemmed	Weighted
1-299 sq. ft.	<b>8667</b>	<b>8594</b>
300-999 sq. ft.	<b>8581</b>	<b>8582</b>
1,000-1,999 sq. ft.	<b>8578</b>	<b>8579</b>
2,000-2,999 sq. ft.	<b>8575</b>	<b>8576</b>
3,000+ sq. ft.	<b>8572</b>	<b>8573</b>

#### 1212 DLX COVERS - 5 YEAR (PRO-RATA)

Cover Size	Edge Style	
	Hemmed	Weighted
1-299 sq. ft.	<b>8595</b>	<b>8596</b>
300-999 sq. ft.	<b>8733</b>	<b>8590</b>
1,000-1,999 sq. ft.	<b>8586</b>	<b>8588</b>
2,000-2,999 sq. ft.	<b>8583</b>	<b>8585</b>
3,000+ sq. ft.	<b>8580</b>	<b>8651</b>

#### 1214 XL COVERS - 5 YEAR WARRANTY

Cover Size	Edge Style	
	Hemmed	Weighted
1-299 sq. ft.	<b>8668</b>	<b>8597</b>
300-999 sq. ft.	<b>8591</b>	<b>8592</b>
1,000-1,999 sq. ft.	<b>8589</b>	<b>8731</b>
2,000-2,999 sq. ft.	<b>8587</b>	<b>8728</b>
3,000+ sq. ft.	<b>8584</b>	<b>8725</b>

Item	XL Panel Length			XW Panel Width		
	83' - 88'	89' - 94'	95'+	19' - 20'	21' - 22'	23'+
Panel Surcharge	<b>8504</b>	<b>8505</b>	<b>8506</b>	<b>8508</b>	<b>8509</b>	<b>8628</b>
<b>8626</b>	Ladder/hand rail cut outs, each					
<b>8627</b>	Rounded corners, each					



**SOLAR POOL COVERS** — Polyethylene floating pool cover is an economical way to cover your pool. Highly buoyant, air-filled bubble material provides insulation for the pool surface and prevents heat loss through evaporation. Solar covers reduce heating costs up to 70% and are the most cost efficient investment you can make. Solar covers work on indoor and outdoor pools. When left on in sunlight, a solar cover will add as much as 10 degrees to an unheated pool. Blanket panels can be ordered in any length, but must be ordered in even widths. Panels can be easily trimmed to size when placed on pool. Solar cover material: 13 mil. thickness. Color: clear/translucent. **Warranty: 7 Year Warranty (3 Years Full).**

\*MID-COM Commercial Solar Cover, per sq. ft.



## POOL COVER STORAGE REELS JUNIOR STAINLESS STORAGE REELS

For smaller sized pool cover applications. Frame constructed with 1.75" OD x .120" wall thickness 304 stainless steel tubing. Winding tube is made with 4" OD x .120" wall thickness tubing. Includes: 12" hand crank, 2 screw jack brakes, and four 4" diameter stainless casters. Dimensions: 18"H x 24"D x winder length (L). Can hold up to 80 ln. ft. of insulating pool cover material. **10 Year Warranty.**

Item	Size	Item	Size
UNF-70-8601	8'	UNF-70-8605	13'
UNF-70-8517	9'	UNF-70-8606	14'
UNF-70-8602	10'	UNF-70-8607	15'
UNF-70-8603	11'	UNF-70-8518	16'
UNF-70-8604	12'	▪	▪



**ELITE COMMERCIAL REELS** — Heavy duty reels designed to store solar pool covers. Available in single shaft and double shaft styles. 36" high aluminum frame with white painted finish, stainless steel hardware, anodized aluminum winding tube, and 4" locking casters.

### HOR-70-XXXX

Item	Description	Max. Ln. Ft. Shaft	Max. Reel Width	Max. Cover Width
5005	Single Reel	125 ft.	22 ft.	20 ft.
5010	Single Reel	125 ft.	26 ft.	24 ft.
5011	Double Reel	90 ft.	16 ft.	15 ft.



## SAFETY COVERS

**SAFETY COVERS** — ASTM certified, heavy duty, mesh Safety Covers are made in a variety of sizes or as a custom cover. Designed to protect unwanted entry into your pool and allows water to flow through the material, while keeping leaves and debris out. Improves the look of your pool area during the winter months. ASTM certified custom covers can be engineered in any shape or size. Includes all connecting hardware and a storage bag. Additional stock sizes available. Most covers ship within 72 hours. We can help assist with getting the correct dimensions of your pool.

### USE \*GLI-SAFETY or \*PAL-SAFETY

Pool Size	Cover Size
16' X 32'	18' X 34'
16' X 36'	18' X 38'
20' X 40'	22' X 42'
24' X 40'	26' X 42'
20' X 50'	22' X 52'
25' X 50'	28' X 53'
30' X 50'	33' X 53'
30' X 60'	33' X 63'
Custom ProMesh Covers	



## TERMS AND CONDITIONS

**PRICES:** Prices are subject to change without notice. Please call us to confirm pricing before ordering. All prices are F.O.B. shipping point, unless otherwise stated.

**MINIMUM ORDER:** \$50.00 (\$5.00 minimum order charge for orders less than minimum, excluding freight and taxes.)

**TERMS:** Net 30 days or credit card.

**CREDIT POLICY:** Credit accounts will be extended with an approved credit application. New accounts without prior credit approval will be shipped C.O.D. or on a cash-before-order basis. For your convenience we also accept credit cards. Custom orders are noncancellable and may require a deposit.

All past due invoices will carry a service charge of 1½% per month (18%) per annum. Any past-due account will be turned over to a third party for collection, in which case the purchaser agrees to be responsible for all costs of collection and reasonable attorney's fees.

**TAXES:** All sales are subject to state and local taxes, where applicable.

**TRANSPORTATION:** All orders are shipped via the best possible carrier. Air freight or other special handling for rush shipments is available upon request.

**TRANSPORTATION CLAIMS:** If any merchandise is damaged or lost in transit the purchaser must file a claim with UPS or the common carrier. Claims must be filed within the time limit and according to the regulations allowed by the carrier.

**RETURNED GOODS:** Merchandise returned for credit must be mailed with a returned goods authorization number clearly marked on the outside of the package. You will be given a number when you call us to arrange a return. All merchandise must be returned freight prepaid.

Authorized returns must be in original condition and are subject to a 25% restocking fee. A higher fee may be charged on products where the supplier restocking fee is greater. Custom ordered merchandise and chemicals are nonreturnable. All returns must be made within 30 days.





**(800) 620-SWIM (7946)**  
**[www.LincolnAquatics.com](http://www.LincolnAquatics.com)**

2051 Commerce Avenue, Concord, CA 94520 USA  
ph (800) 620-SWIM (7946) / fax (888) 680-2825

© 2020 Alliance Trading Inc. All rights reserved. MKG-88-025